



Safety Data Sheet

Exol Lubricants Limited
All Saints Road
Wednesbury
West Midlands
WS10 9LL

tel +44 (0) 121 568 6800
fax +44 (0) 121 568 6720

www.exol-lubricants.com
sales@exol-lubricants.com

Taurus Euro FE 5W/30





SAFETY DATA SHEET

Taurus Euro FE 5W/30

Product Code: M446

SECTION 1 IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING

1.1 Product Identifier	Taurus Euro FE 5W/30
Product Code	M446
1.2 Relevant identified uses of the substance or mixture and uses advised against	Automotive engine crankcase lubricant. Do not use in any other application.
1.3 Company	Exol Lubricants Limited All Saints Road Wednesbury, West Midlands, WS10 9TS
1.4 Emergency Telephone Number	+44 (0) 121 568 6800 (Monday – Friday 08.30 – 17.00 hrs GMT)
1.5 Other Information	Preparation Date: 19/11/2014

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture	CLP Classification: Not classified as hazardous to human health. H412; Harmful to aquatic life with long lasting effects
--	---

See section 16 for full text of H and R phrases

2.2 Label Elements

Classification to DPD (1999/45/EC) and CHIP

Not classified as hazardous

Labelling in accordance with CLP



WARNING

H412; Harmful to aquatic life with long lasting effects

P273; Avoid release to the environment

P391; Collect spillage

Labelling in accordance with CHIP

None Required

PBT: This substance is not identified as a PBT substance.

2.3 Other Hazards

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

3.2 Mixtures Ingredients	EC No.	REACH Reg. No.	GHS Classification	DSD Classification	Conc. %
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Base oil - unspecified	276-38-4	01-2119474889-13	Asp. Tox. 1; H304	-	<40
Mineral oil	Mixture	Not Available	Asp. Tox. 1; H304	-	<10
Zinc O,O,O'-tetrakis (1,3-dimethylbutyl) bis(phosphorodithioate)	218-679-9	01-2119953275-34	Aquatic Chronic 2; H411 Eye Dam. 1; H318 Skin Irrit. 2; H315	N, Xi R38, R41, R51/53	<1.5
Butanedioic acid, 2-3-dihydroxy-, mixed C12-16-alkyl and C13-rich C11-14-isoalkyl diesters, (2R, 3R)-rel-	482-100-8	01-0000020152-85	Eye Dam. 1; H318	Xi R41	<1.5
Olefin Sulfide	Confidentiality Pending	Not Available	Aquatic Chronic 3; H412	None R52/53	<1.5
Reaction products of	253-249-4	01-2119488911-	Aquatic Chronic 4; H413	None	<1.5



SAFETY DATA SHEET

Benzeneamine, N-phenyl- with nonene (branched)		28		R53	
Phenol, dodecyl-, branched	310-154-3	01-2119513207-49	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Irrit. 2; H319 Repr. 2; H361 Skin Irrit. 2; H315	N, Xn R36/38, R50/53, R62	<0.2
Diphenylamine	204-539-4	Not Available	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 STOT RE 2; H373	N, T R23/24/25, R33, R50/53	<0.2

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

- Eyes** Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.
- Skin** Wash skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily contaminated clothing and wash underlying skin.
- Ingestion** If contamination of the mouth occurs, wash out thoroughly with water. Except as a deliberate act, the ingestion of large amounts of product is unlikely. If it should occur, do not induce vomiting; obtain medical advice.
- Inhalation** If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed Skin Contact: There may be irritation at the site of contact.
Eye Contact: There may be irritation and redness.

4.3 Indication of immediate medical attention and special treatment needed, if necessary Treatment should in general be symptomatic and directed to relieving any effects.

SECTION 5 FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media** Use CO₂, foam, dry powder. DO NOT USE water jets.
- 5.2 Specific hazards arising from the substance or mixture** Large surface areas exposed to air (e.g. product soaked rags, paper or absorbed spillage) may be easily ignited and should be cleared up at once.
- 5.3 Advice for fire-fighters** Fires in confined spaces should be dealt with by trained personnel wearing approved breathing apparatus.
Water may be used to cool nearby heat exposed areas/objects/packages.
Avoid spraying water directly into storage containers because of the danger of boil-over.

SECTION 6 ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** See Section 8 for protective equipment.
Soak liquid in absorbent material for disposal. Wash down floor area as spillage may be slippery. Larger spillage should be contained with sand or earth and collected in salvage container for disposal.
- 6.2 Environmental precautions** Protect drains from potential spills to minimise contamination. Do not wash product into drainage system.
In the case of large spills contact the appropriate authorities. In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies.
- 6.3 Methods and material for containment and cleaning up** Absorb into dry earth or sand. Protect drains using drain covers. Dispose of as hazardous waste.
- 6.4 Reference to other sections** Personal protective equipment: See section 8

SECTION 7 HANDLING AND STORAGE

- 7.1 Precautions for safe** Empty containers contain residue which may exhibit hazards of product. Avoid contact with eyes. If



SAFETY DATA SHEET

handling	splashing is likely to occur wear a full face visor or chemical goggles as appropriate. Avoid frequent or prolonged skin contact with fresh or used product. Good working practices, high standards of personal hygiene and plant cleanliness must be maintained at all times. Wash hands thoroughly after contact. Use disposable cloths and discard when soiled. Do not put soiled cloths into pockets.
7.2 Conditions for safe storage, including any incompatibilities	Do not store in open or unlabelled containers. Store away from strong oxidising agents or combustible material. Take precautionary measures to prevent product spills into drains, the ground or waters.
7.3 Specific end use(s)	See section 1.

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
-----------	---------------------------------------

8.1 Control parameters			
Country	Substance	Long Term (8 Hours TWA)	Short Term (15 Mins)
EU	Oil Mist	5 mg/m ³	-
8.2 Exposure controls	Occupational Exposure Controls: Ensure adequate ventilation. Use personal protective equipment and/or local ventilation when needed. Avoid skin contact and inhalation of oil mist. Thoroughly clean contaminated skin and change dirty clothing and equipment. Respiratory Protection: Oil mist respirator (combined particle and organic vapour filter, type A2/P2) where there is a risk of generating oil mist. Hand Protection: Protective gloves, PVC, nitrile rubber. Change protective gloves regularly. Eye Protection: Safety goggles if there is a risk of splashing. Skin Protection: Protective clothing when needed. Environmental Exposure Controls: Take precautionary measures to prevent product spills into drains, the ground or waters.		

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES
-----------	----------------------------------

9.1 Information on basic physical and chemical properties	Does not constitute a specification
---	-------------------------------------

Typical Values

Grades:	Units	Taurus Euro FE 5W/30
Appearance		Pale amber fluid
Odour		Mild
Odour Threshold		No data available
pH		Not applicable
Relative density	kg/m ³	0.855 @ 15°C
Solubility - water		Insoluble
Pour Point	°C	-48
Initial boiling point and range	°C	No data available
Flash point (COC)	°C	226
Flammability		No data available
Upper/lower flammability or explosive limits		No data available
Vapour pressure	kPa (0.1 mm Hg)	Not applicable
Partition coefficient n-octanol/water	Log Pow	Not applicable
Autoignition temperature		No data available
Decomposition temperature		No data available
Viscosity	mm ² /s	69.7 @ 40°C
	mm ² /s	11.4 @ 100°C
Evaporation rate		Not applicable
Vapour density		Not applicable
Explosive properties		None
Oxidising properties		None

9.2 Other Information	None
-----------------------	------

SECTION 10	STABILITY AND REACTIVITY
------------	--------------------------

10.1 Reactivity	Stable at ambient temperatures.
-----------------	---------------------------------



SAFETY DATA SHEET

10.2 Chemical stability	Stable under normal conditions of use
10.3 Possibility of hazardous reactions	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
10.4 Conditions to avoid	Avoid overheating
10.5 Incompatible materials	Incompatible with strong oxidising agents.
10.6 Hazardous decomposition products	Thermal decomposition products will vary with conditions. Incomplete combustion will generate smoke, carbon dioxide and hazardous gases, including carbon monoxide and hydrogen sulphide and oxides of sulphur and phosphorus.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity

- Oral	No toxic components present at levels to cause classification.
- Inhalation	No toxic components present at levels to cause classification.
- Dermal	No toxic components present at levels to cause classification.

Corrosivity/Irritation

- Eye	No components present that are classified as eye irritants.
- Skin	No components present that are classified as skin irritants.
- Respiratory Tract	No components present that are classified as respiratory irritants.

Sensitisation

- Skin	No evidence of sensitisation effects.
- Respiratory	No evidence of sensitisation effects.

Repeated-dose Toxicity

No data available.

Mutagenicity

No evidence of mutagenicity.

Carcinogenicity

No evidence of carcinogenicity.

Reproductive Toxicity

No evidence of reproductive toxicity.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.2 Persistence and Degradability	Expected to be inherently biodegradable.
12.3 Bioaccumulative Potential	No evidence to suggest bioaccumulation will occur.
12.4 Mobility in Soil	Accidental spillage may lead to penetration in soil and groundwater.
12.5 Results of PBT and vPvB Assessment	This substance is not identified as a PBT substance.
12.6 Other Adverse Effects	None.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Send to registered waste disposal site using services of a registered waste disposal contractor. Disposal of packaging: Dispose of as normal industrial waste. **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14 TRANSPORT INFORMATION

Not classified as dangerous goods for carriage under ADR/RID/AND/IMDG/ICAO/IATA regulations

14.1 UN Number	-
14.2 UN Proper Shipping Name	-
14.3 Transport Hazard Class	-
14.4 Packing Group	-
14.5 Environmental Hazards	Classified as an Environmentally hazardous substance/Marine Pollutant
14.6 Special Precautions for User	See section 8 for safe handling
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable to packaged goods

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	Supply regulations: DPD: Dangerous Preparations Directive; GHS: Globally Harmonised System of classification and labelling of chemicals; CLP: Classification, Labelling and Packaging regulations.
--	--



SAFETY DATA SHEET

15.2 Chemical Safety Assessment

Transport regulations: CDG: Carriage of Dangerous Goods regulations; ADR/RID/IMDG/ICAO/IATA regulations.
A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16	OTHER INFORMATION
------------	-------------------

First Issue

Full text of classification data in sections 2 and 3

Asp. Tox. 1; H304	Aspiration hazard, Hazard Category 1; May be fatal if swallowed and enters airways
Aquatic Acute 1; H400	Hazardous to the aquatic environment, acute hazard, Hazard Category 1; Very toxic to aquatic life
Aquatic Chronic 1; H410	Hazardous to the aquatic environment, long-term hazard, Hazard Category 1; Very toxic to aquatic life with long lasting effects
Aquatic Chronic 2; H411	Hazardous to the aquatic environment, long-term hazard, Hazard Category 2; Toxic to aquatic life with long lasting effects
Aquatic Chronic 3; H412	Hazardous to the aquatic environment, long-term hazard, Hazard Category 3; Harmful to aquatic life with long lasting effects
Aquatic Chronic 4; H413	Hazardous to the aquatic environment, long-term hazard, Hazard Category 4; May cause long lasting harmful effects to aquatic life
Eye Dam. 1; H318	Serious eye damage/eye irritation, Hazard Category 1; Causes serious eye damage
Eye Irrit. 2; H319	Serious eye damage/eye irritation, Hazard Category 2A; Causes serious eye irritation
Repr. 2; H361	Reproductive toxicity, Hazard Category 2; Suspected of damaging fertility or the unborn child
Skin Irrit. 2; H315	Skin corrosion/irritation, Hazard Category 2; Causes skin irritation
Acute Tox. 3; H301	Acute toxicity, oral, Hazard Category 3; Toxic if swallowed
Acute Tox. 3; H311	Acute toxicity, dermal, Hazard Category 3; Toxic in contact with skin
Acute Tox. 3; H331	Acute toxicity, inhalation, Hazard Category 3; Toxic if inhaled
STOT RE 2; H373	Specific target organ toxicity, repeated exposure, Hazard Category 2; Causes damage to organs through prolonged or repeated exposure
Xi;R36/38	Irritating to eyes and skin
Xi; R38	Irritating to skin
Xi; R41	Risk of serious damage to the eyes
T;R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R33	Danger of cumulative effects
Repr. Cat. 3;R62	Risk of impaired fertility
N;R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N; R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment