


CV **SMART**CHOICE FROM



FLEET COMPONENTS

ISSUE 19 + JULY – SEPT 2019 + All offers end 30 Sept 2019 and are subject to availability. All prices exclude VAT.

ALL YOU NEED FROM TURBO TO TAILPIPE!

Full Dinex product range of
Volvo Truck exhaust parts in stock!



PLUS...

24v TRAILBLAZERS

TOP SELLERS, SPECIALIST AND NEW TO RANGE BULBS
see inside for details...

Also in this issue...

FLEETGUARD FILTERS
See Page 16
for details



**ELECTRONIC
BRAKING SYSTEMS**
Popular parts for Volvo
trucks



**THE NEW HEAVY
WEIGHTS**
YBX Super Heavy Battery
Range



**THE RIGHT TOOL
FOR EVERY JOB**
Specialist tools for LCVs
and HGVs

WELCOME TO CV SMART CHOICE

ISSUE 19 JUL/SEPT 2019

INSIDE THIS ISSUE

2 Automint	10 Winnard / AD Lubricants	19 Haldex
4 Febi	11 Lucas	20 Imex
5 IMS	12 Airsprings / LED Autolamps	21 Donaldson / Hella
6 Mahle / Power Start	13 Sealey	22 Textar
7 Yuasa	16 AD Antifreeze / Fleetguard	23 Valeo
8 Tecalemit	17 Laser Tools	
9 Workshop Warehouse / Durite	18 Sachs	

Focus on **VOLVO**

3 Knorr-Bremse

14 Dinex

15 Dayco

FEATURED BRANDS



CV SMART CHOICE Terms & Conditions

Offers end 30th September 2019. All offers subject to availability and change without notice. Certain featured products may not be stocked by all members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any offer except at the discretion of your local IFA Member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a NIL DEPOSIT facility. All lease figures quoted are subject to VAT and status. Alternative lease plans are available and can be tailored to your exact requirements. If you have any questions regarding lease facilities please call Alliance & General Leasing on 02478 220 000.

AutomInt

LIMITED



SABO



SEM GRUBU

Automint Product Range



Suspension

- Air Springs & Bellows
- Top Plates & Pistons
- Shock Absorbers & Bolt Kits
- Trailing Arms & U Bolt Kits
- Bushes & Removal Tools
- Pivot Bolts & Spring Seats
- Lift Axle Kits & Components
- Trailer Air Tanks & Straps
- Hanger Brackets & Wear Plates

Truck

- Truck Springs & U Bolts
- Cab Mounts & Repair Kits
- V Stays & Torque Arms
- Link Rods & Bump Stops
- Anti Roll Bar Bushes
- Cab Tilt Pumps & Cab Rams
- Bolsters & Spring Pads
- Engine & Gearbox Mounts



Axle

- Dust Covers
- Camshaft Repair Kits
- Wheel Studs & Nuts
- Hub Nuts & Caps



Steering

- Track Rods
- Drag Links
- Ball Joints
- Shackles Pins
- Steering King Pins



Exceptional expertise • Widest range • Second-to-none service & technical advice • www.automint.co.uk


KNORR-BREMSE

POPULAR PARTS FOR VOLVO VEHICLES



K093190N50

EBS7 COMPONENT 1-CHANNEL MODULE (1CH)

In addition to Knorr-Bremse supplying EBS7 Electronic Braking Systems original equipment to Volvo Truck applications, a range of serviceable parts for the EBS7 System are now available for the independent Aftermarket.

- › Lowest possible downtime due to original equipment quality
- › Availability of all individual components for replacement
- › Compatibility of modules for easy plug 'n' play
- › Genuine Knorr-Bremse approved parts - no compromises in quality!




K100417N00 / K100419N00

CLUTCH COMPRESSOR

Compressors from Knorr-Bremse are installed on all types of commercial vehicles, producing compressed air for braking and suspension systems. In addition to the existing compressor range, Knorr-Bremse launched in 2013 a Clutch Compressor for Volvo/ Renault applications which is now also available for the Independent Aftermarket.

- › Twin cylinder design 760cc
- › Operating pressure up to 12,5 bar
- › Water-cooled cylinder head
- › Pneumatically operated clutch



K093192N50

EBS7 COMPONENT 2-CHANNEL MODULE (2CH)

- › Lowest possible downtime due to original equipment quality
- › Availability of all individual components for replacement
- › Compatibility of modules for easy plug 'n' play
- › Genuine Knorr-Bremse approved parts - no compromises in quality!



K038408N50

PRESSURE MODULATOR VALVE

Pressure Modulator Valves are used in the Braking System, in order to modulate pressure in the Brake Actuators in response to signals from e.g. the Electronic Control Unit (ECU) or the Foot Brake Valve.

- › Rationalized PMV fits for both applications, Volvo and Renault
- › Less handling and storage effort due to only one part number
- › OE quality



TO FIND OUT MORE CONTACT US IN BRANCH TODAY!

TRUCKSERVICES


febiTruck


HOT STUFF, COOL TECH.

Engine Thermal Management by febi

Keep cool with febi's extensive range of engine thermal management components. Temperature control is important for an engine's longevity. For a wide range of OE matching quality thermal management components from thermostats, fan couplings, water pumps and more for a wide variety of vehicles, look no further than febi

Radiator Hose



febi: 100569
OE: 1665951
To fit: Volvo FH1

Electromagnetic
Water Pump



febi: 46019
OE: 21974080
To fit: Volvo FM, FMX

Thermostat



febi: 39860
OE: 21412639
To fit: Volvo FH, FM, FMX

Coolant Expansion Tank
With Lids And Sensor



febi: 45934
OE: 1676400
To fit: Volvo FH, FH1

Water Pump With Gear
and Gaskets



febi: 22023
OE: 20734268
To fit: Volvo FH1, FM1



**SOLUTIONS
MADE IN GERMANY**

www.febi.com

bilsteingroup®



www.imslimited.com

Get properly tooled up!



Hub puller



85mm hub nut spanner



Thread protector



Bush tool

All SAF-Holland axles and suspension systems are manufactured to very fine tolerances to ensure that they perform safely and at optimum efficiency for extended periods, reducing whole-life costs for transport operators.

Timely, expert servicing using OE parts is crucial to maintaining SAF products as is using the appropriate tools for particular procedures.

IMS Limited is the exclusive distributor of SAF-Holland in the UK, supplying the IFA branch network with OE parts and tools. Your local IFA branch should be the first point of contact for the complete range of SAF-approved tools your technicians need to perform repairs and maintenance both effectively and efficiently. Using genuine SAF-Holland parts and tools means less downtime for SAF-equipped trailers and greater productivity for you and your customers.



www.imslimited.com

Maintain SAF axles' class-leading performance. Fit OE replacement parts using OE tools!

IMS Limited is the sole UK & Ireland distributor for SAF-Holland, supporting this premium brand with unrivalled sales advice, technical support, OE parts & tools through the IFA branch network.



Contact your local IFA member for further information and to order genuine SAF-Holland parts and tools.

MAHLE**FUTURE SOLUTIONS.
FOR YOUR SUCCESS.**

» The independent repair shop is exactly what its name suggests: it is independent — and wants to stay that way.

» Width x depth — this is the formula for a demand-driven product range.



» For the future, you require a partner who knows what you will need tomorrow and the day after — because it is already in his range today.

» Quality is synonymous with holding to a standard. The original equipment standard, for instance.

WWW.MAHLE-AFTERMARKET.COM
BEHR**CLEVITE****IZUMI****KNECHT FILTER****12/24V BOOSTER PACK****IFA-PS1224**

- Battery: 2 x 22Ah
- Voltage: 12V + 24V DC
- Cranking Amps: 1200A/700A
- Peak Amps: 3200A/1600A
- Safety Fuse: 350A
- Weight: 17.9kg
- Cables: 35mm² x 1.7m

**100%
COPPER
CABLES****£607.95****12/24V HEAVY-DUTY BOOSTER PACK****IFA-PS1224HD**

- Battery: 2 x 28Ah
- Voltage: 12V + 24V DC
- Cranking Amps: 1100A/1100A
- Peak Amps: 3500A
- Safety Fuse: 500A
- Weight: 26kg
- Cables: 50mm² x 1.7m

**100%
COPPER
CABLES****£999.95****1" TORQUE MULTIPLIER****IFA-MULTIPLIER**

- Compact, robust & designed for the professional. The Torque Multiplier delivers a ratio of 1:56 meaning it can remove siezed nuts effortlessly.
- Includes: 32 & 33mm impact sockets 210mm extension bar

**5200Nm
MAXIMUM TORQUE****£79.95****UNIVERSAL COOLING PRESSURE TEST KIT****IFA-PRESSUREKIT**

- Dual input compatibility - air connector or manual pump
- Colour-coded pressure gauge for easy identification
- Quick change couplings
- Universal application covering most automotive cooling systems
- Tapered adaptors: 17-35mm | 26.5-41mm | 37-50mm | 47-60mm

**£139.95****FREE!
PNEUMATIC
ADAPTOR**



Yuasa delivers new YBX Super Heavy Duty battery range for commercial vehicles

GS Yuasa Battery Europe Ltd have announced the launch of the Yuasa YBX Super Heavy Duty battery range for Commercial Vehicles. The brand new four-tiered range will be available from early June and will provide one of the most comprehensive and highest specification offers on the market.

Based on the battery manufacturer's market leading YBX automotive ranges, Yuasa's new Super Heavy Duty range features three levels of conventional flooded types, plus Enhanced Flooded Battery (EFB) options. Featuring the very latest technology and a host of advanced safety features, all provide Original Equipment (OE) quality and performance plus their advanced construction make them the most reliable commercial vehicle batteries Yuasa has ever produced.

James Hylton, Managing Director of GS Yuasa Battery Sales UK Ltd, said: "We are delighted to be launching our brand new range of YBX Super Heavy Duty batteries. The new range provides significant improvements over our current offer with higher performance and durability, plus wider vehicle coverage.

"We understand that commercial vehicle operators require long life batteries that always perform in order to minimise down time. Our commercial vehicle batteries deliver superior starting power and are manufactured using some of the toughest components available.

"In addition to launching this new range in June, we will also be improving our industry leading online battery lookup tool fit.yuasa.com. This will ensure operators and technicians have access to advanced functionality and accurate coverage for all commercial vehicle battery searches."

The batteries are among the first in the UK and Ireland to carry EN50342-1/6 European Standard performance markings which were recently introduced. Every one has undergone extensive performance testing and having passed stringent requirements, has earned a classification number for Water Loss (W1-W5), Charge Retention (C1-C2), Vibration Level (V1-V4), Endurance (E1-E4) or Micro-Cycle performance (M1-M3).

Batteries in the YBX7000 EFB and YBX5000 ranges feature Yuasa's XVR Extreme Vibration Resistance. This means that they have a vibration resistance of over eight times V4. V4 is the highest level rating that European standard EN50342 requires. Batteries in these ranges, plus all YBX3000 DIN types are suitable for rear chassis location fitting.

YBX7000 EFB are the premium choice for high power demands, end of chassis location and are also suitable for vehicles with Start – Stop. Built with EFB technology, they feature an electrolyte mixing device to extend battery life and are ideal for frequent overnight stays where hotel loads are applied. Batteries in the range are sealed maintenance free (SMF) with a sealed lid, have XVR and offer an M1 micro-cycle endurance rating.



YBX5000 batteries are designed for high performance vehicles with high power demands and for regular overnight stays with hotel loads. They have an M1 micro-cycle endurance rating, XVR and are SMF. They are also suitable for end of chassis location.



YBX3000 types are the ideal choice for vehicles with standard power demands and occasional overnight stops. These SMF types have an E2 endurance rating. They also have a superior vibration resistance rating of V3 with DIN types being V4 and suitable for end of chassis location.



YBX1000 types are maintenance free with easy access lid plugs. Designed for vehicles with basic power demands, they have high vibration resistance of V2 and an E2 endurance rating.

Contact your local branch to find out more

The Heavy Weight Champions



LA/738/Comp Drum Stand & Hose Reel Frame

- 40l bund for 2 x 205ltr drums
- 2x open hose reels (10m) for oil or antifreeze
- 2x digital hose end meters
- 2x pneumatic 3:1 oil pumps for drums
- 2x guns holder
- 2x oil feed hoses to reels 2 metres

Not supplied – air supply hose (LA/702) or oil filter regulator lubricator (LA/704)

**Only
£8.14 pw**

SF/8898

Leviathan 16t 4 Post Commercial Vehicle Lift Range



- Electromechanical operation
- Overload safety system
- Wide platforms for twin wheeled vehicles
- Special heavy duty construction
- Increased width between columns
- Galvanised & weather proof options available upon request

**Only
£145.57 pw**



SF/9480

Leviathan 8t 4 Post Commercial Vehicle Lift

- Electro hydraulic lift
- Mechanical & hydraulic safety systems
- 24V 'Dead Man' control system
- Compact design for tractor units and smaller trucks
- Acoustic warning system on final descent

**Only
£73.25 pw**

SF/9825

Leviathan 25t 4 Post Hydraulic Commercial Vehicle Lift

- Innovative design of columns without longitudinal welds
- Electro-hydraulic lifting system operated over a special double piston cylinder
- Safety system against obstacles, cable breakdown or looseness
- Motor equipped with thermal detector against overheating
- 24V "dead man" controls



**Only
£156.64 pw**

SF/9128

Leviathan 12t 4 Post Commercial Vehicle Lift

The SF/9128 commercial vehicle lift from Tecalemit is a compact commercial vehicle lift suitable for lifting a broad range of smaller commercial vehicles and tractor units. The wide access onto the lift platform of 2920mm and drive through width between the columns of 3300mm ensures easy access for most vehicles. The overall platform length of 8430mm allows vehicles with long wheelbases to sit comfortably on the lift platform.

- Electro-hydraulic lift
- Mechanical & hydraulic safety systems
- 24V 'Dead Man' control system
- Compact design for tractor units and smaller trucks
- Acoustic warning system on final descent




**Only
£95.07 pw**

**Don't turn valuable business away - ask your local branch
how you could benefit from installing Tecalemit garage equipment!**

The Workshop Warehouse



Presents The New **VISION** Hand Lamp Range



**ONLY
£26.95**

**ONLY
£21.55**



Slimline COB Hand Lamp + LED Inspection torch

Supplied with 1 m Micro-B USB Cable and USB, 230V mains and 12V DC in-vehicle charging adaptors.

- 9 mm 2W inspection torch to access tight areas
- 3 x hand lamp modes: 500, 250 & 50 Lumens
- Dual flexible folding system
- Battery power indicator
- Overload protection

Part No.	Qty	Description	Nett Price
EHL305	1	Slimline COB Lamp	£26.95

Flexible Magnetic SMD Hand Lamp + LED Torch

Supplied with 1 m Micro-B USB Cable and USB, 230V mains and 12V DC in-vehicle charging adaptors.

- 2 x Hanging hooks

Part No.	Qty	Colour	Nett Price
EHL300LR	1	Hi-Vis Orange	£21.55
EHL300LY	1	Hi-Vis Yellow	£21.55
EHL300B	1	Black & Blue	£21.55
EHL300R	1	Black & Red	£21.55

workshopwarehouse.co.uk

DURITE®

Durite brings you the latest technology & highest quality components in vehicle safety.
We mean it! Discover our latest addition;

DURITE 360

360° camera system with 3D imagery

4 ultra-wide cameras knit together to create a 3D 360° bird's-eye view of your vehicle & the area around it.



"Customers report **faster installation** & much **improved visibility** vs traditional system"

View when vehicle is going forward;



View when vehicle is turning left;



*System also shows right turn and vehicle reversing

Contact your local IFA member.
Visit durite.co.uk



WINNARD

Having problems with heat crazing and cracking? Then Winnard may have the answer...

SOLID BRAKE DISCS

Extensive ECE R90 testing has proven that a solid version of a previously vented design can reduce and even prevent the premature replacement of a brake disc due to heat crazing and cracking with no operational disadvantages.


PERFORMANCE SUMMARY

- Provides the same Friction Performance
- Similar operating temperatures
- Increased brake pad life
- Improved resistance to thermal cracking
- Solid disc lasts up to 4 times longer

Call your local branch for our best offer prices on the full range!



SOLID BRAKE DISC AFTER 15 BRAKE CYCLES
Minimal heat crazing but no cracks



Advanced Commercial Lubricants

The most advanced technologies. The highest quality base oils.

ONLY from your local IFA Member

Made in the UK • Maintain OEM warranties

Fully synthetic low SAPS engine oils for CV/LCV
Semi synthetic & mineral multi-fleet engine oils
Hydraulic oils (incl. mineral, high VI & biodegradable)
Gear oils • Transmission fluids
Greases • Plant oils • Agricultural oils
Ancillary products



Protect your investment

AD Lubricants surpass the ever-evolving demands of the world's leading engine & driveline manufacturers
Cutting-edge research & stringent product testing guarantee it



It's vital to use the correct specification oil

Be sure you're fitting the right oil to avoid invalidating a vehicle's warranty

Mixing different specification oils can cause engine problems & expensive damage

With four different 10W-40 grade oils alone (in addition to all the other grades) you must check you're fitting the right oil

Your local IFA Member can help - ask them to check the application

Oils available in:



Greases available in:



New OEM specific grades of coolant for Volvo, ask your local distributor for details

Lucas

24v TRAILBLAZERS

TOP SELLERS, SPECIALIST
AND NEW TO RANGE BULBS
HERE ARE OUR TRUCKING
TRAILBLAZERS



	Lucas	Description	Why you need it...
1	LLB196	24v 20/60w H15	New 24v H15 Demand Rising
2	LLB775	24v 70w H7 Px26d 'E'	Top 10 Headlight Bulb
3	LLB241	24v 21w Ba15s SCC S25 'E'	Top 10 Bulb
4	LLB507	24v 5w W2.1x9.5d T10 'E'	Top 10 Bulb
5	LLB466	24v 70w H1 P14.5s 'e'	Top 10 Headlight Bulb
6	LLB588	24v 21w Bau15s Amber 'E'	Top 10 Bulb
7	LLB149	24v 5w Ba15s SCC G18.5 'E'	Top 10 Bulb
8	LLB246	24v 10w Ba15s SCC G18.5 'E'	Top 10 Bulb
9	LLB475	24v 75/70w H4 P43t 'E'	Top 10 Headlight Bulb
10	LLB242	24v 5w C5W SV8.5s 'E'	Top 10 Bulb
11	LLD2S	85v 35w D2S HID Lamp	Rising Demand as HID Lamps Increase
12	LLB776	24v 70w H11 PGJ19-2	New 24v H11 Demand Rising

Leaf Springs

Comprehensive range for LCV, Bus, Trucks, Trailers

Airsprings

A Granning Group Brand



MONROE

Official Distributor

Suspension & Cabin Shock Absorbers



www.airsprings.com

UTILITY RANGE



10915BM

15W SQUARE LED WORK LAMP

- Flood Beam
- IP67 Fully Waterproof
- 1200 Lumens



DESIGNED FOR PLANT, AGRI
& CONSTRUCTION EQUIPMENT

FLEXI-DIN LED WARNING BEACON EQPR10ABM-FD

- 12/24V Multivolt
- Amber LED Warning Beacon
- Flexible Rubber Mounting Base
- IP67
- Quad and Double Flash
- Other mounting options available



24W OVAL LED WORK LAMP 8424BM

- 12/24V Multivolt
- 1900 Lumens
- IP67
- Flood Beam



ledautolamps-uk.com

HB SERIES LED HAMBURGER LAMPS STOP / TAIL / INDICATOR



HBL140STIM
83mm depth

HB140STIM
'Slimline' 40mm depth



www.sealey.co.uk



Promotion valid from
1st July to 30th September 2019



660/100Amp 12/24V Starter/Charger

- Max. Charge: 100Amps (70Amps EN).
- Max. Start: 660Amps (400Amps EN).
- 46Amps Max. Input (start).
- Battery Range: 50-1200Ah.
- Polarity protected.
- Features fast-charge timer device to enable rapid battery recovery with reduced risk of boiling the battery.
- Caters for all requirements from cars right up to light commercial vehicles.
- Large wheels for easy mobility and features analogue ammeter and switchable charge circuitry for accurate charge control.
- **Model No. START660**
- List Price £339.95



SPECIAL PRICE
£ 229.95

4pc Heavy-Duty Prybar Set



- Manufactured from 16mm square Chrome Molybdenum steel.
- Extra-heavy-duty prybar set with textured handles.
- Set comprises: 900mm/ Straight, 900mm/25°, 600mm/75°, 600mm/90°.
- **Model No. AK9100**
- List Price £219.95

SPECIAL PRICE
£ 119.95

18V Cordless Grease Gun



- High power, professional, cordless grease gun, developing 8000psi.
- Suitable for screw type and standard 400g cartridges, manual or bulk filling.
- Features LCD battery condition indicator, air bleed and heavy-duty aluminium pressure head.
- Supplied with 18V 2Ah Lithium-ion battery and mains charger.
- **Model No. CPG18V**
- List Price £229.95

SPECIAL PRICE
£ 119.95

55ltr Mobile Dispensing Tank with AdBlue® Pump



- Manufactured from hard wearing and durable polyethylene.
- 55ltr Capacity suitable for the distribution of Diesel, Oil, AdBlue®, Water and Antifreeze dependent on pump supplied.
- Supplied with Model No. TP6607 AdBlue® Lever Pump.
- Fitted with two roller wheels, hose holder and vent caps.
- Features a 2" BSP thread and four point screw fittings enabling other pumps to be fitted as required.
- **Model No. DT55BCOMBO1**
- List Price £499.95



SPECIAL PRICE
£ 349.95

8pc 1" Sq Drive Deep Impact Socket Set



- Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance.
- Suitable for use with impact type air wrenches.
- Sizes: 24, 27, 30, 32, 33, 34, 36, 41mm.
- **Model No. AK888M**
- List Price £154.95

SPECIAL PRICE
£ 84.95

360° 24 SMD + 3W LED Rechargeable Inspection Lamp



- 360° swivel and tilt function.
- 24 Super bright SMD LEDs providing up to 1000 lumens output with 120° spread of light.
- Includes an additional 3W LED directional torch.
- Features two swivel hooks and three rubber covered magnets for hands-free operation.
- Two high quality 3.7V 2.6Ah Lithium-ion batteries in parallel for up to 15 hours run time.
- Operating Time Side(High/Low)/Top: (3/12/15hr).
- Charging Time: 7hr.
- Min./Max. Length: 256/276mm.
- **Model No. LED3606G**
- List Price £89.95

SPECIAL PRICE
£ 49.95

74pc 3/8" & 1/2" Sq Drive TRX-Star®/ Security TRX-Star®/Hex/Ribe/Spline Bit Set



- Manufactured from Chrome Vanadium 6150 steel.
- Contents: TRX-Star® Bits: T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Security TRX-Star® Bits: T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Hex Bits: 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits: M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits: M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors: 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex.
- **Model No. AK21974**
- List Price £65.95

SPECIAL PRICE
£ 32.95

4tonne Trolley Jack with Rocket Lift



- Min./Max. Saddle Height: 100/533mm.
- Rocket Lift feature brings lifting arm into contact with jacking point with minimal pumps.
- Magnetic wheel nut retention tray.
- Protective jack handle sleeve helps prevent accidental damage to car bodywork.
- **Model No. 4040AG**
- List Price £244.95

SPECIAL PRICE
£ 154.95

5tonne Capacity High Level Commercial Vehicle Support Stand



- Min. Working Height (Shallow/Deep/V): 1315/1315/1340mm.
- Max. Height (Shallow/Deep/V): 1835/1835/1860mm.
- Independently UK load tested.
- Sturdy welded steel construction for superior safety and strength.
- Three types of large interchangeable crutches for good load distribution.
- Supplied with captive pin load support.
- Fitted with retracting castors for easy manoeuvrability.
- Sold as singles, but MUST be used in pairs.
- **Model No. ASC50**
- List Price £504.95

SPECIAL PRICE
£ 379.95

All prices exclude VAT unless stated otherwise

ALL YOU NEED FROM TURBO TO TAILPIPE

Full Product Range of VOLVO Truck Exhaust Parts on Stock



Wide range of Dinex SCR units in stock that are:

- Made from high grade stainless steel
- Ensure correct EU Emissions requirements are met
- Tested at Dinex Test Center
- Produced and coated in-house
- Direct replacement of original Euro IV/V Silencers

Dinex No: 80390
OE No: 20579347
Type: SCR Silencer

Dinex No: 80483
OE No: 20920622
Type: SCR Silencer

Dinex No: 80393
OE No: 20920705
Type: SCR Silencer

EURO 5

Dinex No: 81030
OE No: 21244501
Type: NOx Sensor

REPLACEMENT UNITS AVAILABLE FOR:

- DAF
- IVECO
- MAN
- MERCEDES
- RENAULT
- SCANIA
- VOLVO

EURO 6

Dinex No: 82266
OE No: 22101241
Type: Front pipe w/Flex

Dinex No: 8AE000
OE No: 21456672
Type: Front pipe w/Flex

Dinex No: 8AI001
OE No: 21794709
Type: DPF

Dinex No: 8AL006
OE No: 21445539
Type: Clamp

Dinex No: 82420
OE No: 20745501
Type: SCR Silencer

Dinex No: 80921
OE No: 1629499
Type: Clamp

Dinex No: 81113
OE No: 20709027
Type: Flex

Dinex No: 81731
OE No: 20837983
Type: Pipe w/silencer

Available on TecCom 


Dinex Exhaust Ltd. UK, 14 Chesford Grange, Woolston, Warrington WA1 4RE
Phone: +44 19 25 84 98 49 - dinex@dinex.co.uk

For more information about the promotion or order placement, Call your local IFA Member for more details

going the extra mile

www.dinex.net





Dayco Heavy Duty. Auxiliary solutions for Volvo applications.

Dayco, a leading engine products and drive systems supplier for the automotive, industrial and aftermarket industries, is a major player in the heavy duty sector, where it supplies important original equipment (OE) components, such as tensioners, idlers and belts, to HD vehicle manufacturers across Europe and around the world.

Dayco has recently introduced auxiliary belt kits for the popular Volvo FH and FM Series commercial vehicles, these kits contain all the necessary components to ensure technicians are able to make a full and thorough front end auxiliary drive (FEAD) system replacement, making service and repair work easier for both the wholesaler and workshop.

The Volvo FH Series was originally introduced in 1993 in 12 and 14-litre variants, but has proved so successful that following a significant upgrade in 2012, is still on sale today. For applications from 2005 onwards, Dayco has produced four kits that incorporate two auxiliary belts – one with eight grooves and the other with 10 – with their accompanying tensioner, plus a grooved idler, although the later versions from 2012 onwards, dispensed with the use of an idler.

When it comes to the FM Series, which was launched in 1998 and ungraded in 2013 with Euro VI compliant power units, the Dayco range extends to six kits with applications from 1998 onwards. Three of these – two of which cater for the original versions from 1998 – contain a single belt and tensioner combination, a further two encompass a belt, tensioner and grooved idler, while the final kit, for variants including the FMX Series from 2010 onwards, comprises two belts, two tensioners and a grooved idler.

"The idea behind combined auxiliary belt kits," explains Dayco UK's National Sales manager, Steve Carolan, "is to assist wholesalers and workshops respectively to identify the correct combination of FEAD components required and provide a single package that contains all the necessary OE quality parts to carry out the replacement process."

"In addition, it also allows us to provide wholesalers with a relatively small number of references that cover a large number of applications, which helps them cater for the most popular enquiries they receive from their customers, with the minimum stock commitment."

For more information regarding the OEM quality power transmission products in the Dayco range, please email: info.uk@dayco.com or visit: www.dayco.com



Leader in engineering and production of OE HD tensioners. OE HD belts designed for diesel grade HD applications. High performance and reliability. The preferred partner of the most important OE truck brands and engine equipment.
VOLVO, CNH-IVECO, MERCEDES, MAN, SCANIA, CUMMINS, CATERPILLAR.

DAYCO®
MOVE FORWARD. ALWAYS.™

To find out more call us in branch today!

Antifreeze & Coolant

High quality, great value

All seasons • Four grades
5, 25, 205 litres

Blue BS6580

- 2 Year life
- Older engines

Modern engines:

Red OAT

- Premium 5 Year life

Green HOAT

- Premium 3 Year life

Purple Si-OAT

- Premium 5 Year life



Beware 'budget' coolants!

So-called 'budget' coolants are often fully diluted, so you need more product to achieve the same freeze point protection.

If you buy on price, you may end up buying a considerable amount of added water. While the price may look attractive, compared like-for-like on performance it may be more expensive per litre.

Full concentrate = less storage + better performance + more economical in use

AD Antifreeze Dilution

AD Antifreeze must be diluted - the normal dilution rate is 1:1, which offers good freezing & corrosion protection (see table below).

The minimum recommended concentration to maintain corrosion protection is 33% by volume (freezing protection to -18°C, which may be insufficient for UK winters* & certainly for Eastern Europe).

Diluted with clean water, AD antifreeze can offer freezing protection to as low as -70°C where extreme winters are usual. *Source: Met Office

Diluting AD Antifreeze

Antifreeze : Water (% Volume)	Freezing Protection
70 : 30	- 70°C ¹
60 : 40	- 53°C
50 : 50 (normal dilution)	- 37°C
33 : 66	- 18°C

¹Blue BS6580 offers freezing protection to -65°C

Available only
from your local
IFA Member



Fleetguard filters for Carrier and Thermoking applications

Fleetguard offers an extensive range of filters for all temperature controlled refrigerating units on vans or truck trailers ensuring you peace of mind.

Thermoking	Air	Lube	Fuel
Buspowerpack	AH1189	LF3746 or LF9030	FF5276 + FF5275*
CG-II	AH1189	LF694	FF5276 + FF5275* or FF209 or FF184 or FF5017
JDII, KDII, MDII, RDII, TDII	AF25550 (RDII & TDII)	LF16354 (Main) + LF3641 ³	FF204
King of the Road	AH1189	LF3746	FF5276 + FF5275*
LND	AF1658K	LF3994	FF204
LNDII	AF1658K	LF16354 (Main) + LF3641 ³	FF204

Carrier	Air	Lube	Fuel
Genesis R 70 series (series no. < 800490)	AF1658K	LF3490	FF185
Genesis R 90 series (series no. < G900496)	AF1658K	LF787	FF185
Genesis R 90 series (series no. > G 900496)	AF25550	LF787	FF185
Maxima Series; Mistral Series	AF25551	LF3536 (FF185*)	FF185
Mistral Series, Mistral T850 Plus	AF25440K	LF3490	FF185
Supra 848DB	AF25550	LF3490 (FF185*)	FF185

For more applications and applied Fleetguard filters please visit
cumminsfiltration.com or contact your local **Fleetguard** authorized dealer.



LASER®**SPECIALIST TOOLS FOR LCVs AND HGVs****37018****ASSORTED ANAEROBICS****50ml bottles**

- Pack contains: 35197 Nutlock, 35311 Retainer, 35312 Screwlock, 35313 Studlock and 35314 Retainer
- Premium quality anaerobics

**£29.95****30712****SUPASEAL CONNECTORS AND RATCHET CRIMPING TOOL****- Assorted****SUPASEAL CONNECTOR****WEATHERPROOF KIT - 424 piece**

- Contains 1, 2, 3, 4, 6 female & male connectors.
- Ratchet crimp pliers with 2 sets of jaws.
- Suits 0.35-0.5mm², 1.5mm², 0.75mm² and 1.0mm² cables
- Soft grip handles

**£79.95****7145****LEVER ACTION PUMP - ADBLUE®**


- Extending suction tube 98cm to 120cm (2pc)
- Flow rate 20ltr per minute
- Supplied with flexible delivery hose 2m
- Fast and effective workshop tool
- AdBlue® is a registered trademark of the Verband der Automobilindustrie e.V. (VDA)

**£39.95****7249****HGV CLUTCH AND FLYWHEEL JACK****136kg**

- For clutch and flywheel removal and installation
- Capacity: 136kgs (300lbs)
- Specifications: Min. height 288mm; max. height 980mm and weight 60kgs
- Tilt saddle enables clutch to be positioned horizontal or vertically
- 360° rotating pump handle for precise alignment
- Four swivel castors for ease of use
- Includes 2" and 1 3/4" splines

**£499.95****5745****RATCHET POWER BAR (Extending)****3/4"D**

- Forward, reverse and locking mechanism
- Extends 600mm (24") to 900mm (36")
- Universal joint with two position head (left- and right-handed angle) [Spare head part no. 0782]
- Tested to 1412 Nm
- Chrome Molybdenum head, Chrome Vanadium shaft and composite grip

**£49.95****6443****TRACK ROD END REMOVAL SOCKET****For HGV applications**

- Designed to be used on an impact gun to remove steering track rod ends and drag link ends on trucks after the taper has been separated
- 36mm hex drive allows use with either a 1/2"D or 3/4"D with 36mm socket and impact gun combination
- Introduced on request by customers to our Van Sales staff
- Features unique tear-drop shaped slot in the skirt to help prevent "cam out" in use
- 80mm internal diameter, 32.8mm slot width and 70mm internal depth

**£79.95****6854****SOCKET SET****3/4"D; 21 piece**

- 12 point profile x 3/4"D
- Includes 500mm professional ratchet handle, 100mm extension bar, 200mm extension bar, 400mm extension bar and 450mm sliding T bar
- 16 x Sockets: 19mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm, 38mm, 41mm, 46mm, 50mm
- Manufactured from Chrome Vanadium
- Supplied in a blow-moulded storage case

**£149.95****6410****IMPACT SOCKET SET (Metric)****7 piece**

- 3/4"D x 120mm extra long sockets
- Contents: 24mm, 27mm, 30mm, 32mm, 34mm, 36mm with 3/4"D to 1/2"D adaptor (45mm long)
- Bi-Hex (12pt)
- Manufactured from Chrome Molybdenum with manganese phosphate finish
- Supplied in a blow-moulded storage case

**£69.95****6891****SOCKET AND BIT SET****3/4"D & 1"D; 24 piece****Contents:**

- 1 x 1"D adaptor 22mm x 62mm long, and 1 x 3/4"D adaptor 22mm x 52mm long (both manufactured from SCM440 steel) plus 1 x 2.5mm Hex Key
- 3 x Spline Bits: M16, M18, M20
- 5 x Star Bits: T60, T70, T80, T90, T100, manufactured from 6150 alloy steel in black phosphate finish
- 5 x Hex Bits: 14mm, 17mm, 19mm, 21mm, 22mm in 6150 alloy steel
- 4 x Hex Bits: 24mm, 27mm, 30mm, 32mm in S45C steel with black phosphate finish
- 4 x Star Sockets: E18, E20, E22, E24 manufactured from 50BV30 steel
- Ideal for use on HGV/Tractors etc.

**£89.95****7461****TRUCK CABIN SHOCK ABSORBER SPRING COMPRESSOR**

- Applications include: Volvo Trucks FM, FH 500P & 540P
- Spring size: ID = 65mm, OD = 89mm
- Use with 1/2" drive ratchet
- Allows safe compression of the cabin spring for shock absorber removal
- Always ensure the weight of the cab is correctly supported – refer to OEM instructions
- Use with Laser 6792 Shock Absorber Wrenches

**£199.95****7432****BEARING BUSH TOOL**

- For the installation and removal of slotted bearing bushes on HGV spring suspension
- Includes a 12 tonne hydraulic cylinder
- Supplied without hydraulic pump
- Installation protects the bush using the parallel working tension elements
- Suitable for use on the vehicle
- Safe and easy to use

**£699.95**



AFTERMARKET

sachsprovenperformance.com

SACHS HCV CLUTCHES

The best kept secret as one of the world's leading OEM suppliers.

- **SACHS** Clutch range is suitable for heavy commercial vehicles and bus applications
- **SACHS** offers quality Original Equipment (OE) clutch replacement parts for your vehicle
- **SACHS** offers a range of OE Dual Mass Flywheels and Concentric Slave Cylinders
- **SACHS** offers a LD Clutch fitment tool set for all makes of clutches, including XTEND (self adjusting) clutch which requires special tooling when fitted
- **SACHS** offers a LD Dual Mass Flywheel (DMF) tool for testing purposes
- **SACHS** offers special clutch alignment tools for HD vehicle applications
- **SACHS** HCV clutch warranty – 2 year unlimited mileage



For catalogue information, visit webcat.zf.com or zf.com/sachs and download our Part Finder App on Google Play or the App Store.

PROVEN PERFORMANCE



NO MORE RISK



ONLY
£225.00

TrCM+ Safe Parking

Part no. 352067601

- pressure protection valve: with
- label: with
- fittings: without
- port 1: M22x1.5



ONLY
£130.00

TEM Safe Parking

Part no. 352075001

- pressure protection valve: with
- shunt valve: with
- fittings: without
- port 1: M22x1.5



LESS IS MORE

There are two Safe Parking variants available: the well-known Trailer Control Module+ (TrCM+) and the TEM® (Trailer Emergency Module) which is a technically simplified version of the TrCM+. TEM is also available in a single knob version with 'Deadman' feature. TEM is not intended as a replacement for TrCM+, but as a streamlined, low-cost alternative. Those who value emergency braking with the service brake instead of the parking brake can retain this preference with TrCM+.

Haldex is the only manufacturer to offer both these solutions. The Safe Parking feature is recommended by professional health and insurance organizations to prevent accidents and damage claims.

Call your local branch to order



Watch the video



Innovative Vehicle Solutions



An exciting new range from IMEX

Premium quality steering and suspension parts



Applications for:

Mercedes | Volvo | Scania | DAF | Iveco | MAN | Renault

Contact your IFA member for details of the Aplus® Range



Imexpart Ltd (IMEX) are delighted to announce the launch of their APLUS® range of steering and suspension parts for Light Commercial vehicles, Trucks and Buses. The APLUS® range is an exciting addition to our IMEX product portfolio offering an industry leading range and a premium quality at a very competitive price.



VOLVO FH/FM

Donaldson filters are built for the road, to endure and perform.
Donaldson OE aftermarket quality filters keep you moving.

MODEL	ENGINE	AIR	OIL / LUBE	FUEL	POWER-STEERING	TRANSMISSION	CABIN	OTHER
FH/FH II	D series	P782396	P550633 (CR)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P951102	P550425 (SO)	P551843 (FWS)		P164378		P552096 (COF)
				P954895 (FWS)				
FH 12/FH 16	D series	P782396	P550633 (CR)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P606720	P550425 (SO)	P551843 (FWS)		P164378		P951413 (AD)
			P553191 (SO)	P954895 (FWS)				P952185 (AD)
FM	D series	P782396	P550425 (SO)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P782857	P550633 (CR)	P551843 (FWS)		P164378		P951415 (AD)
				P954895 (FWS)				P552096 (COF)

AD: Air dryer | COF: Coolant filter | CR: Cartridge | FWS: Fuel water separator | SO: Spin-on | UF: AdBlue filter

HELLA
VALUEFIT

**PROVEN QUALITY.
 GREAT PRICE.**



WORKLIGHTS | SINGLE-FUNCTION LIGHTS | MULTI-FUNCTION LIGHTS



TEXTAR®
BRAKE TECHNOLOGY

TEXTAR
O.E. QUALITY SUPPLIER

SUPPLIERS OF
OE
TMD FRICTION
A NISSHINO GROUP COMPANY
ORIGINAL EQUIPMENT

THE PERFECT PARTNER FOR YOUR FLEET.

Textar brake friction products for commercial vehicles.

The Textar commercial vehicle range is complemented by a full range of brake discs, accessories and wear indicators. And with Textar, every product comes with the assurance of total quality, maximum safety and ultimate reliability. **Trust in Textar.**

www.textar.com

[f textar.uk.ireland](https://www.facebook.com/textar.uk.ireland)
[i textar_brake_technology](https://www.instagram.com/textar_brake_technology)
[v textar international](https://www.youtube.com/textar_international)
[t textar uk & ireland](https://twitter.com/textar_uk_ireland)

FGas
Training
£129*

FULLY AUTOMATIC A/C MACHINES

Designed to deliver the best refill service



Demonstration available on request

*£129 for first candidate when a machine is ordered

Valeo Braking for Commercial Vehicles



- All-in-one
- Easy to fit
- Made in Europe



OptiPACK™

1 SET OF BRAKE PADS



1 SET OF ACCESSORIES



1 SET OF PAD RETAINERS



Valeo



Sparkford Depot Relocation & Expansion

We are delighted to announce that further expansion has led to the recent relocation of our Sparkford branch, now in larger premises on Camelot Works, Sparkford, Yeovil BA22 7LH

Our new depot boasts:


- ✓ Purpose fitted, state-of-the-art premises
- ✓ Larger, 500 sq.m warehouse space
- ✓ Improved stock availability
- ✓ Many new ranges from stock
- ✓ Trade counter & parking
- ✓ Extra staff & vans employed to service exciting new demand

Our Sparkford team would love to show you around, just come along.
We welcome customers old & new!

Please come along and see for yourself what we can offer you!



**Whatever your enquiry, simply call us on
01963 400450 we're always happy to help.**



CV **SMARTCHOICE** FROM

Fleet Components

BRANCHES THROUGHOUT THE SOUTH WEST



EXETER

Unit 1A, Brookside Units,
Pinhoe Trading Est, Venny Bridge, Exeter EX4 8JN

TEL: 01392 462 344

CHARD

Unit 12 Millfield Trading Est
Chard TA20 2BB

TEL: 01460 630 38

SALTASH

Edgcombe Park Trading Est
Saltash PL12 6LD

TEL: 01752 847 106

SOUTH MOLTON

Unit 2, Hacche Lane Business Park
South Molton EX36 3JB

TEL: 01769 575 700

ROCHE

Victoria Road Ind Est
Roche PL26 8LX

TEL: 01726 891 106

SPARKFORD

Camelot Works, Sparkford
Yeovil BA22 7LH

TEL: 01963 400 450

Offers available from 1 July – 30 Sept 2019 and are subject to availability. All prices exclude VAT and are correct at time of going to press. All images are for illustrative purposes only. We reserve the right to withdraw offers without prior notice. E&OE.

www.fleetcomponents.co.uk