




Featherwing

Manufactured by Boydell & Jacks

Est. 1967



The leading name in commercial vehicle mudguards, spray suppression equipment, bracket systems and ancillary products



Featherwing

Manufactured by Boydell & Jacks

Est. 1967

Heritage & History



Sales Contact

t +44 (0)1282 456411
f +44 (0)1282 437496
e sales@featherwing.com
w www.featherwing.com

In 1967 Boydell & Jacks was the first company in the world to conceive and produce a Commercial Vehicle Mudguard from Thermoplastic.

Remaining a family business for the past 48 years, we have been at the forefront of design and innovation, gaining an enviable reputation as a company more than willing to collaborate with our customers to help achieve their objectives.

In 1988 we became the first Mudguard Manufacturing company to be accredited with the quality assurance standard BS5750 and became a BSI Registered Company. The original accreditation was maintained, and over time, the system has developed into BS EN ISO 9001:2008

The Featherwing brand of products has become synonymous with quality and reliability, and has been adopted by OE Truck & Trailer manufacturers including DAF, Scania, MAN, Cartwright, Dennison, Montracon & SDC.



Pictures taken from our archives.

Beliefs & Values

Company Vision

Boydell & Jacks' core competence is in the high quality manufacture and distribution of the "Featherwing" range of components for the commercial vehicle industry. Our aim is to provide functional and innovative products, inspiring trust from our customers. We strive to do business with integrity and in an uncomplicated manner, delivering value and service at all times. Our staff are aware of the importance of all customers, and are empowered to embrace new technology and working practices in their pursuit to exceed expectations.

Environmental Policy

Boydell & Jacks' believe that businesses are responsible for achieving good environmental practice and operating in a sustainable manner.

We are therefore committed to reducing our environmental impact and continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. It is our priority to encourage our customers, suppliers and all business associates to do the same. Not only is this sound commercial sense for all, it is also a matter on delivering on our duty of care towards future generations.



Contents

6	THERMOPLASTIC MUDGUARDS	
7		Single Wheel
8		Twin Wheel
9		Single & Twin Wheel Adjustable
10		Flat Top / Segment Mudguard
11		Steering Axle
12		Spats / Adjustable Spats
13		Small Trailer Mudguards / Small Trailer Mudguards with Extended panels / Small Trailer Tandems
14		3 Part Sectional
15		GRP Flat Top / GRP Mudguards
16		Compatible Products & Fitment Advice
17		Compatible Products & Fitment Advice
18	STEEL & ALUMINIUM MUDGUARDS	
19		Single Wheel
20		Twin Wheel
21		Aluminium Chequer Plate
22		Aluminium Plain / Rubber Edged
23		Vintage Body Panel & Wing Fabrication
24	SPRAY SUPPRESSION & MUDFLAPS	
25		Clear Pass Spray Suppression
26		Clear Pass Spray Suppression Flaps & Valance Kits
27		Netway Spray suppression / Netway Shapped Tractor Unit Mudflaps
28		Netroute Spray Suppression Side Valances & Quarter Fenders
29		Thermoplastic
30		Rubber
31		Mudflap Printing
32		Rear Pelmet Flap
33		Brush System
34	BASIC FITMENT CRITERIA UK & EU SPECIFICATIONS	
35	MUDGUARD MOUNTING ARMS & FITMENT SYSTEMS	
36		IT Brackets / ITADJ Brackets
37		IT-HD Brackets / Metal Adjustable Brackets
38		Tri Bolt Cranked / Tri Bolt Straight
39		Single Bolt / Straight Arms / Single Bolt Cranked 100mm Offset
40		Single Bolt Cranked 150mm / Side Guard Bracket Kit
41		Stainless Steel Single Bolt / Straight Arms / Cranked 100mm Offset
42		Stainless Steel Tri Bolt Straight / Cranked 100mm offset
43		Alubloc / Alutube / Aluring
44		Euro Clamp / U Bolt Clamps
45		Saddles & Back plate Kits / Components
46	FIRE EXTINGUISHER CASES	
47		Top Loading Fire Extinguisher Cases 6kg & 9kg
48		Top Loading Fire Extinguisher Case
49		Extinguisher & Spill Kit Combi-Box
50		Premium Fire Extinguisher Case
51		Premium Spill Kit Box & Extinguisher-Spill Kit Combi Box
52	ADR SPILL KIT & CASES	
53		Front Loading Fire Extinguisher Cases
54		Fire Extinguishers
55		Spill Kit Cases
56		Spill Kits & Cases
57	THERMOPLASTIC & ALUMINIUM STORAGE CASES	
58		Wheel Chock / Thermoplastic Number Plate Holders
59		ADR & Hazardous Goods Equipment
60		Thermoplastic Toolboxes
61	ANTI-SLIP TAPE & BESPOKE PRODUCTS	
62		Aluminium Chequer Plate Toolboxes
63		Document Holder / Mid-pod Storage Box
64	TERMS & CONDITIONS	
65-67	PRODUCT SELECTION	
		Anti-slip Tape
		Plastic & Metal Bespoke Products


Thermoplastic Mudguards



Thermoplastic Mudguards Single Wheel

Product Information

- Unique styling, advanced design
- Manufactured with high quality polyethylene, which gives increased product rigidity, whilst offering excellent impact and cold cracking resistance
- The best visual and technical results are attained using the mudguard with the I-T Bracket system. However, conventional fixings can be used if required
- Lightweight
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)
- Resistant to most chemicals
- Available in Black and over 60 Fleet Colours
- UV stability package on all mudguards




Part No.	Width	Radius (R)	Overall Length	Tyre sizes
IT180	180mm (7")	380mm (15")	1250mm (49")	5.60R12, 155/70R12, 155R13, 155/70R13, 165/70R13, 165R13
IT200	200mm (8")	410mm (16")	1380mm (54½")	175R13, 175/70R13, 185/70R13, 195/70R13, 6.70R13, 165R14, 175R14, 185R14, 195R14, 165/75R14, 175/75R14, 185/75R14, 195/75R14, 6.50x14, 7.00x14, 6.00x15, 6.00x16
IT250	250mm (10")	470mm (18½")	1600mm (63")	205R14, 215R14, 205/75R14, 215/75R14, 6.70R14, 6.70R15, 7.00R15, 7.50R15, 195/70R15, 205/80R15, 225/70R15, 225/75R15, 235/75R15, 185R15, 195R15, 215R15, 185/75R16, 195/75R16, 205/75R16, 215/75R16, 225/70R16, 225/75R16, 6x16, 6.50x16, 7x16, 7.5x16, 8.25R16, 195R16, 205R16, 215R16, 7R17.5, 8R17.5, 8.5R17.5, 205/75R17.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 245/70R17.5
IT275	275mm (11")	408mm (16")	1426mm (56")	205/70R15
IT275LP	280mm (11")	410mm (16")	1280mm (50")	205/65R16
IT320S	320mm (12½")	545mm (21½")	1632mm (64¼")	8.25R15, 10.00R15, 255/75R15, 265/70R15, 9.00R16, 11.00R16, 245/75R17.5, 265/70R17.5, 8.25R17, 9.5R17.5, 10R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 8R19.5, 9R19.5, 9.50R19.5, 6.50R20, 7.00R20, 7.50R20, 275/70R22.5, 8R22.5
IT420S	420mm (16½")	600mm (23½")	1880mm (74")	385/60R19.5, 385/65R19.5, 305/70R19.5, 385/70R19.5, 8.25R20, 9.00R20, 10.5R20, 385/55R22.5, 285/60R22.5, 295/60R22.5, 305/60R22.5, 315/60R22.5, 285/70R22.5, 295/70R22.5, 305/70R22.5, 315/70R22.5, 275/80R22.5
IT420Xi	420mm (16½")	635mm (25")	1995mm (78½")	10R20, 11R20, 12.5R20, 14/80R20, 375/75R20, 365/80R20, 11R22.5, 15R22.5, 12/80R22.5, 365/80R22.5, 385/65R22.5, 375/70R22.5, 14.5R24, 285/75R24.5, 305/75R24, 11R24.5
IT420X	420mm (16½")	635mm (25")	2070mm (81½")	11R20, 12.5R20, 14/80R20, 375/75R20, 365/80R20, 11R22, 12/80R22.5, 15R22.5, 295/80R22.5, 365/80R22.5, 375/70R22.5, 385/65R22.5, 14.5R24, 285/75R24.5, 305/75R24, 11R24.5
IT450	450mm (17¾")	650mm (25½")	2040mm (80¼")	18R19.5, 425/55R19.5, 425/65R19.5, 435/50R19.5, 445/65R19.5, 12R20, 13R20, 14.50R20, 14.75/80R20, 405/70R20, 12R22.5, 315/80R22.5, 405/70R24
IT490	490mm (19¾")	580mm (22¾")	1860mm (73")	385/55R19.5, 445/45R19.5, 445/55R19.5, 455/45R22.5
IT500	500mm (19¾")	670mm (26½")	2130mm (84")	14R20, 15.5/80R20, 13R22.5, 16.5R22.5, 18R22.5, 425/65R22.5, 445/55R22.5, 445/65R22.5, 11R24, 445/70R24

Thermoplastic Mudguards Twin Wheel

Product Information

- Unique styling, advanced design
- Manufactured with high quality polyethylene, which gives increased product rigidity, whilst offering excellent impact and cold cracking resistance
- Lightweight
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)
- The best visual and technical results are attained using the mudguard with the I-T bracket system. However conventional fixings can be used if required
- Resistant to most chemicals
- Available in black and over 60 fleet colours
- UV stability package on all mudguards




Part No.	Width	Radius (R)	Overall Length	Tyre sizes
IT420T	420mm (16½")	445mm (17½")	1450mm (57")	6.70R14, 6.70R15, 185R15, 6.00R16, 6.50R16, 175R16, 175/75R16
IT425	425mm (16¾")	410mm (16")	1290mm (50¾")	5.60R12, 155/70R12, 155R13, 155/70R13, 165R13, 175/70R13, 175R13, 185/70R13, 195/70R13, 6.70R13, 165R14, 165/75R14, 175R14, 175/75R14, 185R14, 185/75R14
IT475	475mm (17¾")	430mm (17")	1430mm (56")	195R14, 195/75R14, 205R14, 195R15, 205/70R15, 215R15, 185R16, 195/70R15, 185/75R16, 195R16, 195/75R16
IT480	480mm (19")	480mm (19")	1510mm (59½")	205/75R14, 205/65R15, 205/80R15, 7.00R15, 7.50R15, 7.00R16, 205R16, 215R16, 205/75R16, 7R16, 8R16, 7R17.5, 8R17.5
IT500T	500mm (19¾")	500mm (19¾")	1653mm (65")	215R14, 215/75R14, 225/70R15, 225/75R15, 215/75R16, 225/70R16, 7.50R16, 8.50R17.5, 205/75R17.5
IT530	530mm (21")	580mm (22¾")	1860mm (73")	9.00R16, 8.25R17, 9.50R19.5, 7.50R20, 8.25R20, 8R22.5, 9R22.5, 215/70R22.5, 215/75R22.5
IT530LP	530mm (21")	510mm (20")	1600mm (63")	8.25R15, 235/75R15, 225/75R16, 8.25R16, 9.5R17.5, 10R17.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 8R19.5, 9.00R19.5, 6.50R20, 7.00R20
IT570	570mm (22½")	600mm (23½")	1930mm (76")	9.00R20, 10R22.5, 10/70R22.5, 225/70R22.5, 255/70R22.5
IT580LP	580mm (22¾")	510mm (20")	1580mm (62¼")	255/75R15, 245/70R17.5, 245/75R17.5
IT610	610mm (24")	535mm (21")	1675mm (66")	10R15, 265/70R15, 265/70R17.5, 275/75R17.5, 245/70R19.5, 265/70R19.5
IT615	615mm (24¼")	635mm (25")	1995mm (78½")	11.00R16, 10.00R20, 11.00R22, 11R22.5, 275/80R22.5
IT650	650mm (25½")	650mm (25½")	2040mm (80¼")	11.00R20, 285/75R22.5
IT650LP	650mm (25½")	600mm (23½")	1905mm (75")	295/75R17.5, 10.5R20, 285/60R22.5, 11/70R22.5, 295/65R22.5, 275/70R22.5, 285/70R19.5
IT670	670mm (26½")	685mm (27")	2160mm (85")	12.00R20, 12R22.5, 11R24, 12.00R24, 11R24.5
IT690	700mm (27½")	620mm (24½")	1900mm (74¾")	305/70R19.5, 295/60R22.5, 285/70R22.5, 295/70R22.5, 305/60R22.5, 315/60R22.5
IT695	695mm (27½")	635mm (25")	2100mm (82¾")	12/80R22.5, 305/70R22.5, 295/80R22.5 Tractor Units
IT710	710mm (28")	650mm (25½")	1970mm (77½")	315/70R22.5, 13R22.5, 315/80R22.5, 305/75R24

Adjustable Thermoplastic Mudguards Single and Twin Wheel

Product Information

- Unique styling, advanced design
- Quick and easy to fit
- Save on labour and fitment time
- Mudguard removal for routine maintenance is faster
- User friendly, no tools needed under the mudguard to fit the bracket
- The best visual and technical results are attained using mudguard with the IT-ADJ Bracket system
- Fully adjustable to help fitment on any application
- Resistant to most chemicals
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)



Part No.	Width	Radius (R)	Overall Length	Tyre sizes
IT420T-ADJ	420mm (16½")	445mm (17½")	1450mm (57")	6.70R14, 6.70R15, 185R15, 6.00R16, 6.50R16, 175R16, 175/75R16
IT420S-ADJ	420mm (16½")	600mm (23½")	1880mm (74")	385/60R19.5, 385/65R19.5, 305/70R19.5, 385/70R19.5, 8.25R20, 9.00R20, 10.5R20, 385/55R22.5, 285/60R22.5, 295/60R22.5, 305/60R22.5, 315/60R22.5, 285/70R22.5, 295/70R22.5, 305/70R22.5, 315/70R22.5, 275/80R22.5
IT420X-ADJ	420mm (16½")	635mm (25")	2070mm (81½")	11R20, 12.5R20, 14/80R20, 375/75R20, 365/80R20, 11R22, 12/80R22.5, 15R22.5, 295/80R22.5, 365/80R22.5, 375/70R22.5, 385/65R22.5, 14.5R24, 285/75R24.5, 305/75R24, 11R24.5
IT420Xi-ADJ	420mm (16½")	635mm (25")	1995mm (78½")	10R20, 11R20, 12.5R20, 14/80R20, 375/75R20, 365/80R20, 11R22.5, 15R22.5, 12/80R22.5, 365/80R22.5, 385/65R22.5, 375/70R22.5, 14.5R24, 285/75R24.5, 305/75R24, 11R24.5
IT450-ADJ	450mm (17¾")	650mm (25½")	2040mm (80¾")	18R19.5, 425/55R19.5, 425/65R19.5, 435/50R19.5, 445/65R19.5, 12R20, 13R20, 14.50R20, 14.75/80R20, 405/70R20, 12R22.5, 315/80R22.5, 405/70R24
IT500-ADJ	500mm (19¾")	670mm (26½")	2130mm (84")	14R20, 15.5/80R20, 13R22.5, 16.5R22.5, 18R22.5, 425/65R22.5, 445/55R22.5, 445/65R22.5, 11R24, 445/70R24
IT500SFT-ADJ	500mm (19¾")	670mm (26½")	2400mm (94)	14.00R20, 18R22.5, 425/65R22.5, 445/65R22.5
IT500T-ADJ	500mm (19¾")	500mm (19¾")	1653mm (65")	215R14, 215/75R14, 225/70R15, 225/75R15, 215/75R16, 225/70R16, 7.50R16, 8.50R17.5, 205/75R17.5
IT530LP-ADJ	530mm (21")	510mm (20")	1600mm (63")	8.25R15, 235/75R15, 225/75R16, 8.25R16, 9.5R17.5, 10R17.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 8R19.5, 9.00R19.5, 6.50R20, 7.00R20
IT610-ADJ	610mm (24")	535mm (21")	1675mm (66")	10R15, 255/75R15, 265/70R15, 245/70R17.5, 245/75R17.5, 265/70R17.5, 275/75R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5
IT615-ADJ	615mm (24¼")	635mm (25")	1995mm (78½")	11.00R16, 10.00R20, 11.00R22, 11R22.5, 275/80R22.5
IT650-ADJ	650mm (25½")	650mm (25½")	2040mm (80¾")	11.00R20, 285/75R22.5
IT650SFT-ADJ	650mm (25½")	650mm (25½")	2400mm (94)	11R22.5, 12R22.5, 275/80R22.5, 295/80R22.5
IT670-ADJ	670mm (26½")	685mm (27")	2160mm (85")	12.00R20, 12R22.5, 11R24, 12.00R24, 11R24.5
IT695-ADJ	695mm (27½")	635mm (25")	2100mm (82¾")	12/80R22.5, 305/70R22.5, 295/80R22.5 Tractor Units
IT710-ADJ	710mm (28")	650mm (25½")	1970mm (77½")	315/70R22.5, 13R22.5, 315/80R22.5, 305/75R24


Thermoplastic Mudguards Flat Top

Product Information

- Flat Top design for fixing directly to vehicle body
- Unique styling – advanced design
- Lightweight
- UV stability package on all mudguards
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)
- Resistance to most chemicals
- Excellent impact and cold crack resistance
- Available in Black and over 60 Fleet Colours




Part No.	Width	Height (H)	Tip to Tip (T-T)	Flat	Tyre sizes
IT260FT	275mm	475mm	900mm	495mm	185R14, 195R14, 205R15, 215R15, 215R16, 7.00x16
IT470LPFT	470mm	450mm	900mm	500mm	185R14, 205R14, 215R14, 185R15, 175R16, 185R16, 7.25R16
IT470FT	470mm	525mm	1000mm	500mm	205R16, 7.50R16, 8.5R17.5
IT500FT	500mm	580mm	1000mm	505mm	205R16, 205/75R17.5, 215R16, 8R17.5, 8.25R15, 8.5R17.5
IT550FT	550mm	560mm	1110mm	650mm	8.25R15, 225/75R16, 8R16, 8.5R16, 215/75R17.5, 225/75R17.5
IT615FT	615mm	625mm	1250mm	700mm	245/70R19.5, 265/70R19.5, 285/70R19.5, 275/70R22.5
IT650FT	650mm	715mm	1320mm	750mm	11R22.5, 12R22.5, 295/80R22.5



Segment Mudguards

Product Information

- Featuring all the technical qualities of Featherwing Mudguards
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)




Part No.	Width (W)	Length (L)	Radius (R)
SK410	410mm	700mm	665mm
SK610	610mm	700mm	665mm
SK695	695mm	620mm	640mm

Thermoplastic Mudguards Steering Axle

Product Information

- Specially designed for use on steering axles
- The best visual and technical results are attained using the mudguard with the IT bracket, however conventional fixings can be used if required
- Excellent cold crack, impact, and chemical resistance
- Packed in a protective polythene sleeve
- Unique styling – advanced design
- Lightweight
- Reflectors fitted within each mudguard (Material used ECE 104 compliant)




Part No.	Width (W)	Height (H)	Radius (R1)	Radius (R2)	O/All Length	Flat (F)	Tyre Sizes
IT500SFT	500mm	680mm	670mm	590mm	2400mm	250mm	14.00R20, 18R22.5, 425/65R22.5, 445/65R22.5
IT650SFT	650mm	680mm	650mm	570mm	2400mm	350mm	11R22.5, 12R22.5, 275/80R22.5, 295/80R22.5



Thermoplastic Spats

Product Information

- Flat top design for fixing directly to vehicle body
- Unique styling – advanced design
- Lightweight
- UV stability package on all mudguards
- Resistance to most chemicals
- Excellent impact and cold crack resistance
- Available in Black as standard




Part No.	Width	Height (H)	Flat (F)	Length
VF-3032QF-0	300mm	330mm	140mm	228mm
VF-3032QF	300mm	320mm	130mm	250mm
VF-4335QF	430mm	350mm	130mm	240mm
VF-4650QF	460mm	500mm	155mm	300mm
VF-5250QF	520mm	500mm	130mm	270mm
VF-6050QF	600mm	500mm	130mm	250mm
VF-6560QF	650mm	600mm	130mm	300mm
VF-6960QF	690mm	600mm	130mm	270mm
F-4640	460mm	400mm	130mm	250mm
F-4660	460mm	600mm	130mm	270mm

Thermoplastic Spats Adjustable

Product Information

- Flat top design for fixing directly to vehicle body
- Unique styling – advanced design
- Lightweight
- UV stability package on all mudguards
- Resistance to most chemicals
- Excellent impact and cold crack resistance
- Available in Black as standard
- Works in conjunction with IT35-ADJ, IT42-ADJ, IT48-ADJ




Part No.	Width	Height (H)	Flat (F)	Length
VF-3032QF-0-ADJ	300mm	330mm	140mm	228mm
VF-3032QF-ADJ	300mm	320mm	130mm	250mm
VF-4335QF-ADJ	430mm	350mm	130mm	240mm
VF-4650QF-ADJ	460mm	500mm	155mm	300mm
VF-5250QF-ADJ	520mm	500mm	130mm	270mm
VF-6050QF-ADJ	600mm	500mm	130mm	250mm
VF-6560QF-ADJ	650mm	600mm	130mm	300mm
VF-6960QF-ADJ	690mm	600mm	130mm	270mm

Thermoplastic Mudguards Small Trailer

Product Information

- Suitable for car trailers, boat trailers, vans, and most recreational trailers
- Lightweight and durable
- Resistance to most chemicals
- Available in Black as standard



Part No.	Width (W)	Height (H)	Tip-Tip (T-T)
VF-180STM	180mm	205mm	550mm
VF-260STM	250mm	295mm	622mm

Small Trailer Mudguards with extended splash panel


Part No.	Width (W)	Height (H)	Tip-Tip (T-T)	Panel Length
VF-200F	200mm	320mm	710mm	115mm
RM-200S	200mm	400mm	810mm	175mm
RM-200L	200mm	425mm	850mm	200mm



Thermoplastic Mini Tandem

Product Information

- One piece Tandem Mudguard suitable for Twin Axle Trailers
- Moulded from Polyethylene
- Resistant to most chemicals
- Lightweight and Durable
- Available in Black as standard, colours available for orders in excess of 40 pieces




Part No.	Width (W)	Radius (R)	Axle Centre (AC)
IT-PT-81456	200mm	355mm	725mm
IT-PT81634	200mm	406mm	870mm

Tri/Tandem Mudguards 3 Part Sectional

Product Information

- Thermoplastic Curve Section
- Galvanised Steel Centre Section
- Curves Supplied in Black as Standard
- Coloured Curves on request
- End curves fitted with reflector (Material used ECE 104 compliant)



Part No.	Width (W)	Radius (R)	Axle Centres (AC)	Tyre Sizes
ST450W-IT	450mm (18")	680mm (26½)	16000mm (63")	425/55R19.5, 11R22.5, 12R22.5, 15R22.5, 16.5R22.5
ST650N-IT	650mm (25½)	650mm (25½)	1360mm (54")	11.00R20, 12R22.5, 13R22.5, 275/80R22.5, 285/75R22.5, 295/75R22.5, 305/70R22.5
ST650W-IT	650mm (25½)	650mm (25½)	2050mm (80")	11.00R20, 12R22.5, 13R22.5, 275/80R22.5, 285/75R22.5, 295/75R22.5, 305/70R22.5
ST695N-IT	695mm (27½)	650mm (25½)	1360mm (54")	12.00R24, 295/80R22.5, 315/80R22.5


Tri/Tandem Mudguards Component Parts

Part No.	Description	Suits Mudguard
450NC-IT	Thermoplastic Curve	ST450W-TA
650NC-IT	Thermoplastic Curve	ST650N-IT, ST650W-IT
695NC-IT	Thermoplastic Curve	ST695N-IT
450W-IT	Centre Section	ST450W-IT
650NF-IT	Centre Section	ST650N-IT
650WF-IT	Centre Section	ST650W-IT
695NF-IT	Centre Section	ST695N-IT
450FX	Fixing kit for all 450mm wide tandems	—
650FX	Fixing kit for all 650mm wide tandems	—
695FX	Fixing kit for all 695mm wide tandems	—

GRP Mudguards GRP Flat Top

Product Information

- For use on Petroleum Regulation Vehicles
- Conforms and Approved to WFR TEST TP002
- Approval Markings moulded into the wing
- Available in Black and selected Fleet Colours



Part No.	Width (W)	Height (H)	Radius (R)	Flat (F)	Tip-Tip (T-T)
GRP420FT-IT	420mm	730mm	665mm	390mm	1330mm

GRP Mudguards

Product Information

- For use on Petroleum Regulation Vehicles
- Conforms and Approved to WFR TEST TP002
- Approval Markings moulded into both valances
- Available in Black and selected Fleet Colours
- Suitable for Tractor Unit and Trailer Fitment



Part No.	Width (W)	Radius (R)	O/All Length	Tyre Sizes
GRP250-IT	250mm	470mm	1600mm	155 R 13, 165 R 13, 205/70 R 14, 195/70 R 15, 225/70 R 15, 195, R 16, 225/65 R 16, 235/75 R 17.5, 7.50 x 15, 7.50 x 16
GRP450-IT	450mm	650mm	2040mm	425/55 R 19.5, 425/65 R 19.5, 16.5 R 22.5, 385/65 R 22.5
GRP695-IT	695mm	640mm	2100mm	295/70 R 22.5, 295/80 R 22.5, 315/80 R 22.5, 12 R 24

Compatible Products & General Fitment Advice

General Guidance and Recommendations

We hope that you find the compatible products table useful, like most things however, it is not without its limitations. We would recommend that you use it as a starting point, this coupled with the following comments on our main product families will assist you in obtaining the correct fitment configurations for the application. If there is something that you feel is not covered in the following recommendations then please email us by using the contact facility on the website. We will be straight back to you with an answer. If we feel that the point raised is appropriate to a wider audience we will update our advice and recommendations to accommodate it.

MUDGUARDS

Thermoplastic

We would always recommend that the mounting brackets are sited as low down as possible on both the front and rear of the mudguard, this reduces the possibility of flexing. An ideal position for the wing stay would be no higher than 350mm from the bottom edge of the mudguard. All types of fixings work with thermoplastic mudguards, however we would always recommend the IT bracket due to its lightweight, great aesthetics and corrosion free properties.

Steel

As with thermoplastic mudguards we recommend that the brackets are sited as low as possible on the product, however due to the additional rigidity of the mudguard, it is not as important in this case. We would recommend using the IT-HD brackets on a

steel mudguard. Steel fixings can be used, whether it be a standard saddle and backplate, U-bolt or EC bracket.

GRP

Again we recommend the fitment as low down the mudguard as possible. The ideal fixing would be the IT-HD bracket as the load is spread over a greater area.

Tandems

Use a minimum of four fixing points. One on each end curve as low down as possible, and two fixing points equally spaced on the centre (flat) section. For flat sections spanning tri-axle configurations an additional fixing point should be considered. For the recommended fixings please refer to the advice given previously for each material type.

BRACKETS

Single-bolt arms

Despite the growing popularity of single bolt arms in general use, we would ask you to bear in mind that they were originally designed and manufactured for use by Trailer Builders to mount lightweight super single thermoplastic mudguards.

In this application they excel offering quick fitment and adjustability, with plenty of strength left in reserve. Single bolt arms were not designed to go beyond 700mm in length and a tube diameter of 42mm, or carry anything other than thermoplastic mudguards. Single bolt arms do offer advantages as previously stated, but we could not recommend them for use if the required length exceeds 700mm or they are intended to mount a steel or GRP mudguard. The recommended torque setting for our single bolt arms is 203N/M. Do not cut or alter the Arm mounting surface in any way, as reduced surface coverage will cause undue stress on the Arm.

Standard 3 point fixing arms

Suitable for use in all mudguard mounting applications. As a general guide the longer the required arm, a larger diameter tube should be used. As guidance we ask you to consider a minimum tube diameter of 42mm for all mudguards over 570mm wide. We would certainly not recommend a tube diameter less than 42mm for any mudguard over 620mm wide. Do not cut or alter the Arm mounting surface in any way, as reduced surface coverage will cause undue stress on the Arm.

Tractor Unit fitment

Irrespective of the compatible fitment chart please adhere to the following recommendation when fitting brackets to Tractor Units. Do not fit single bolt arms, also larger diameter tubes are recommended due to the increased vibration and demands of use. Single wheel mudguards - 42mm diameter minimum. Twin axle mudguards - 48mm diameter. Do not cut or alter the Arm mounting surface in any way, as reduced surface coverage will cause undue stress on the Arm.

MUDFLAPS

Spray Suppression

When choosing/fitting an anti-spray mudflap you must ensure that the width of the flap is at least as wide as the full width of the tyre or tyre combination. The only time that it is permissible for the flap to cover just the width of the tyre tread is once it is inside a mudguard. Over the years we have received numerous phone calls from customers informing us that 'local testing stations had failed a vehicle because the law regarding mudflap width had changed'. It hadn't, quite simply the test stations were applying the regulations that were originally set in 1985 in the British Standard, and subsequent EC Directive. For full fitment dimensional criteria of spray suppression equipment please refer to the 'fitment criteria' section.

Rubber and Thermoplastic mudflaps

For all vehicles less than 12 tonne GVW and vehicles exempt from spray suppression regulations, traditional rubber or plastic mudflaps may be fitted. Fitment of these products is done so out of preference and therefore there are no mandatory regulations regarding sizing or positioning etc.

Compatible Products & General Fitment Advice

Mudguard	Mudflaps				Brackets	
	Anti Spray		Rubber	Plastic	Min Tube Diameter	Recommending Fixing
IT	CPF	ECPF				
IT180	CPF7	ECPF7	N/A	66P / 99P	35mm	IT35
IT200	CPF8	ECPF8	88R	99P	35mm	IT35
IT250	CPF10	ECPF10	1010R	109P	35mm	IT35
IT275LP	CPF11	ECPF11	1010R	11P	35mm	IT35
IT275	CPF11	ECPF11	1010R	11P	35mm	IT35
IT320S	CPF12	ECPF12	1212R	129P/1210P/121P	35mm	IT35
IT420T	CPF15	ECPF15	1612R	1612P	35mm	IT35
IT425	CPF15	ECPF15	1612R	1612P	35mm	IT35
IT420S	CPF15	ECPF15	1612R	1612P	35mm/42mm	IT35/IT42
IT420X/420Xi	CPF15	ECPF15	1518R	1514P	35mm/42mm	IT35/IT42
IT450	CPF16	ECPF16	1612R	1612P	35mm/42mm	IT35/IT42
IT480	CPF18	ECPF18	1812R	1812P/1818P	35mm/42mm	IT35/IT42
IT490	CPF19	ECPF19	1912R	1921P	35mm/42mm	IT35/IT42
IT500T	CPF19	ECPF19	2012R	2012P/2015P	35mm/42mm	IT35/IT42
IT500	CPF19	ECPF19	2016R/2018R	2015P/2018P	35mm/42mm	IT35/IT42
IT530	CPF20	ECPF20	2112R/2116R	2012P/2015P	35mm/42mm	IT35/IT42
IT530LP	CPF20	ECPF20	2112R/2116R	2212P/2215P/2218P	35mm/42mm	IT35/IT42
IT570	CPF22	ECPF22	2212R/2216R/2218R	2412P/2415P/2218P	35mm/42mm	IT35/IT42
IT610	CPF23	ECPF23	2412/2416	2412P/2451P	35mm/42mm	IT35/IT42
IT615	CPF24	ECPF24	2412R/2416R/2418R	2412P/2415P/2418P	35mm/42mm	IT35
IT650	CPF24	ECPF24	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
IT650LP	CPF24	ECPF24	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
IT670	CPF26	ECPF26	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
IT690	CPF26	ECPF26	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
IT695	CPF27	ECPF26/27/28	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
IT710	CPF27/CPF28	ECPF26/27/28	2412R/2416R/2418R	2612P/2615P/2618P	42mm	IT42
FLAT TOPS						
IT260FT	CPF10	ECPF10	1010R	109P	35mm	IT35
IT470LPFT	CPF18	ECPF18	1812R	1812P/181P	35mm/42mm	IT35/IT42
IT470FT	CPF18	ECPF18	1812R	1812P/1818P	35mm/42mm	IT35/IT42
IT500FT	CPF18	ECPF18	2016R/2018R	2015P/2018P	35mm/42mm	IT35/IT42
IT550FT	CPF20	ECPF20	2112R/2116R	2012P/2015P	35mm/42mm	IT35/IT42
IT615FT	CPF24	ECPF24	2412R/2416R/2418R	2412P/2415P/2418P	35mm/42mm	IT35/IT42
IT650FT	CPF24	ECPF24	2412R/2416R/2418R	2412P/2415P/2418P	42mm	IT42


Steel & Aluminium Mudguards



Steel Mudguards Single Wheel

Product Information

- All mudguards are manufactured from 1mm mild steel (as standard)
- Available in galvanised or zintec steel on request
- Bespoke sizes available on request
- Fully wired edges for stability




Part No.	Width (W)	Radius (R)	O/All length	Tyre Sizes
1	150mm (6")	290mm (11½")	965mm (38")	4.00R10
2	150mm (6")	345mm (13½")	1120mm (44")	5.20R13
3	150mm (6")	405mm (16")	1370mm (54")	4.50R16, 5.20x16
4	1801mm (6")	345mm (13½")	1120mm (44")	5.20R13
4A	180mm (7")	355mm (14")	1220mm (48")	5.00R14
4B	180mm (7")	370mm (14½")	1220mm (48")	5.20R15, 5.90R13
4C	180mm (7")	380mm (15")	1220mm (48")	5.90R15
4D	180mm (7")	405mm (16")	1370mm (54")	6.50R14, 7.00R14
5	180mm (7")	430mm (17")	1370mm (54")	25R6, 29R5
6	205mm (8")	405mm (16")	1370mm (54")	6.40R14, 7.00R14, 205R14, 650R14, 700R14, 6.50R15, 165R16, 185R16
6A	205mm (8")	380mm (15")	1220mm (48")	6.40R13, 670R13, 175R14, 185R14
7	205mm (8")	430mm (17")	1525mm (60")	6.00R16, 6.5R16, 7.00R16, 7.5R16
8	205mm (8")	485mm (19")	1600mm (63")	8.25R15, 185R15, 25R16, 8R17.5, 6.00R20, 650R20
9	230mm (9")	460mm (18")	1525mm (60")	215R14, 7.00R15, 7.00R16, 18R17.5, 215/75R17.5, 225/75R17.5, 235/75R17.5
10	230mm (9")	508mm (20")	1830mm (72")	7.00R20, 700R16, 8R17.5, 8.5R22.5
11	255mm (10")	380mm (15")	1220mm (48")	7.50R10, 205/60R15
12	255mm (10")	485mm (19")	1675mm (66")	7.50R16, 8.25R16, 8.5R17.5, 275/80R18
13	255mm (10")	510mm (20")	1830mm (72")	7.50R17, 8.25R17, 9.50R17, 9R19.5, 265/70R19.5, 7.50R20, 8.25R20
14	255mm (10")	610mm (24")	1980mm (78")	8.25R22.5, 9R22.5, 10R22.5
15	305mm (12")	485mm (19")	1675mm (66")	8.25R16, 225/75R16
16	305mm (12")	510mm (20")	1675mm (66")	240/75R15, 8R19
17	305mm (12")	535mm (21")	1830mm (72")	9.00R16, 11R16, 10.5R18, 18R19.5, 285/70R19.5, 305/70R19.5
18	305mm (12")	585mm (23")	1830mm (72")	9R18, 9R20, 10.5R20, 10R22.5, 275/70R22.5, 275/80R22.5
19	305mm (12")	635mm (25")	1980mm (78")	10.00R20, 11R22.5, 11/70R22.5, 225/70R22.5
20	305mm (12")	660mm (26")	1980mm (78")	10.00R20, 10.00R24
21	330mm (13")	635mm (25")	1980mm (78")	8R19.5, 11R20, 335/80R20, 12R22.5, 13R22.5, 295/80R22.5, 305/75R22.5, 315/70R22.5, 315/75R22.5
29	405mm (16")	510mm (20")	1830mm (72")	325/65R18, 6.50R20
30	405mm (16")	530mm (21")	1830mm (72")	325/65R18, 6.50R20
30A	420mm (16½")	635mm (25")	2057mm (81")	365/80R20, 15R22.5, 285/75R22.5, 295/75R22.5, 305/70R22.5, 385/65R22.5
31	405mm (16")	685mm (27")	1980mm (78")	14.00R16, 15.00R16, 13R20, 375/75R20
32	405mm (16")	710mm (28")	1980mm (78")	14.00R20
54	455mm (18")	650mm (25½")	1980mm (78")	425/55R19.5, 16.5R22.5
42C	495mm (19½")	673mm (26½")	2146mm (84½")	14R20, 16.5R22.5, 18R22.5, 425/65R22.5, 445/65R22.5
54B	450mm (18")	640mm (25")	1950mm (77")	315/70R22.5

Steel Mudguards Twin Wheel

Product Information

- All mudguards are manufactured from 1mm mild steel (as standard)
- Available in galvanised or zintec steel on request
- Bespoke sizes available on request
- Fully wired edges for stability




Part No.	Width (W)	Radius (R)	O/All Length	Tyre Sizes
27	405mm (16")	455mm (18")	1525mm (60")	6.50R16, 7R17.5
27A	405mm (16")	430mm (17")	1450mm (57")	7.50R14, 600R16
28	405mm (16")	485mm (19")	1525mm (60")	7.00x15, 6.5R16, 175R16, 185R16
33	455mm (18")	485mm (19")	1675mm (66")	7.00R16, 7.50R16, 8.5R17.5, 205/70R17.5
34	455mm (18")	510mm (20")	1675mm (66")	7.50R16, 6.50R20, 7.00R20
35	455mm (18")	570mm (22½")	1830mm (72")	7.50R20
37	455mm (18")	610mm (24")	1905mm (75")	16.5R19.5, 7.50R24
37A	485mm (19")	405mm (16")	1320mm (52")	8.25R10, 215/75R14, 175R15
38	485mm (19")	510mm (20")	1675mm (66")	8.25R15, 8.25R16, 6.5R17, 215/75R17.5, 8R19.5
39	485mm (19")	530mm (21")	1830mm (72")	8.25R18, 7.50R20, 8R22.5, 9R22.5
40	485mm (19")	570mm (22½")	1830mm (72")	8.25R20
41	485mm (19")	585mm (23")	1830mm (72")	8.25R22
42	510mm (20")	610mm (24")	1980mm (78")	36x8
42A	510mm (20")	470mm (18½")	1525mm (60")	7.50R15
42B	510mm (20")	570mm (22½")	1830mm (72")	9R19.5
43A	530mm (21")	530mm (21")	1830mm (72")	9R17.5, 10R17.5, 245/70R19.5, 235/75R19.5
43B	530mm (21")	510mm (20")	1600mm (63")	235/75R15.5, 225/75R16, 8.25R16, 9.5R17.5, 225/75R17.5, 235/75R17.5
43	530mm (21")	610mm (24")	1980mm (78")	9.00R20, 10R22.5
44	530mm (21")	660mm (26")	1980mm (78")	9.00R24
45	560mm (22")	635mm (25")	1981mm (78")	10.00R20, 11R22.5
46	585mm (23")	635mm (25")	1982mm (78")	11R15, 11R16, 10.00R20
47	585mm (23")	685mm (27")	2135mm (84")	10.00R24
53	610mm (24")	530mm (21")	1675mm (66")	275/80R18, 265/70R19.5, 285/70R19.5
48	610mm (24")	635mm (25")	1980mm (78")	10.00R20, 10.00R20
48A	610mm (24")	660mm (26")	2135mm (84")	11R20
50	610mm (24")	710mm (28")	2135mm (84")	11R24
50B	650mm (25½")	675mm (26½")	2135mm (84")	12/80R20, 12/70R22.5, 275/80R22.5, 295/80R22.5 rigid, 305/70R22.5
51	675mm (26½")	685mm (27")	2135mm (84")	12.00R20, 12R22.5, 315/80R22.5 rigid
52	700mm (27½")	650mm (25½")	1980mm (78")	13R20, 315/70R22.5, 315/80R22.5
52A	700mm (27½")	650mm (25½")	2095mm (82½")	295/80R22.5 tractor unit, 315/70R22.5, 315/80R22.5 tractor unit
52B	695mm (27½")	640mm (25")	1950mm (77")	315/70R22.5

Steel Mudguard Aluminium Chequer Plate

Product Information

- Rolled from five bar chequer plate
- Meets the requirement of WFR TP002 - suitable for vehicles conforming to Petroleum Regulations
- Lightweight and Durable compared to equivalent GRP mudguards
- Available in a range of standard sizes, or bespoke to your requirements.
- Bespoke Sizes - please note the minimum width of mudguard is 250mm and the minimum Radius we can offer is 360mm
- Full steel reinforced edge on all mudguards



Part No.	Width (W)	Radius (R)	Overall Length	Tyre Sizes
12-ACH	255mm	485mm	1675mm	7.50R16, 8.25R16, 8.5R17.5, 275/80R18
30A-ACH	420mm	635mm	2070mm	325/65R18, 6.5R20
54B-ACH	450mm	640mm	1950mm	315/70R22.5
48-ACH	610mm	635mm	1980mm	10.00R20, 11R22.5
50B-ACH	650mm	660mm	2135mm	12/80R20, 12/70R22.5, 275/80R22.5, 295/80R22.5 rigid, 305/70R22.5, 315/70R22.5
51-ACH	675mm	675mm	2135mm	12.00R20, 315/80R22.5
52A-ACH	700mm	650mm	2095mm	13R20, 315/70R22.5, 315/80R22.5
52B-ACH	695mm	640mm	1950mm	315/70R22.5
54A-ACH	455mm	650mm	2060mm	425/55R19.5, 16.5R22.5

Bespoke sizes available on request, please ask.



Steel Mudguard Aluminium Plain

Product Information

- Rolled from plain finished aluminum
- Meets the requirement of WFR TP002 - suitable for vehicles conforming to Petroleum Regulations
- Available in a range of standard sizes, or bespoke to your requirements
- Bespoke Sizes - please note the minimum width of mudguard is 250mm and the minimum radius we can offer is 360mm



Part No.	Width (W)	Radius (R)	Axle Centres (AC)	Tyre Sizes
12-ALU	255mm	485mm	1675mm	7.50R16, 8.25R16, 8.5R17.5, 275/80R18
30A-ALU	420mm	635mm	2070mm	325/65R18, 6.5R20
48-ALU	610mm	635mm	1980mm	10.00R20, 11R22.5
50B-ALU	650mm	660mm	2135mm	12/80R20, 12/70R22.5, 275/80R22.5, 295/80R22.5, 305/70R22.5, 315/70R22.5
51-ALU	675mm	675mm	2135mm	12.00R20, 315/80R22.5
52A-ALU	700mm	650mm	2095mm	13R20, 315/70R22.5, 315/80R22.5
54A-ALU	455mm	650mm	2060mm	425/55R19.5, 16.5R22.5
52B-ALU	695mm	640mm	1950mm	315/70R22.5
54B-ALU	450mm	640mm	1950mm	315/70R22.5

Steel Mudguards Rubber Edged

Product Information

- High quality, heavy-duty mudguard
- Mudguard body manufactured from galvanised steel
- Fitted with impact resistant rubber edge
- Rubber edge secured to wing with a through wire fixing rod
- Replacement rods and edges available
- Other sizes available on request



Part No.	Width (W)	Radius (R)	O/All Length	Tyre Sizes
38R	485mm (19")	510mm (20")	1675mm (66")	8.25R15, 8.25R16, 6.5R17, 215/75R17.5, 8R19.5
43R	535mm (21")	610mm (24")	1980mm (78")	10R22.5, 8.25x20, 9.00R20
44R	420mm (16")	630mm (25")	2075mm (81")	15R22.5, 295/75R22.5, 305/70R22.5, 385/65R22.5
45R	545mm (21½")	635mm (25")	1980mm (78")	9.00x20, 10R22.5
46R	585mm (23")	635mm (25")	1980mm (78")	10R15, 10x2011R16
48R	610mm (24")	635mm (25")	1980mm (78")	10x20, 11R22.5
48AR	610mm (24")	660mm (26")	2135mm (84")	10x20, 11R22.5
50BR	650mm (25½")	675mm (26½")	2135mm (84")	1.00x20, 12/80R20, 12R22.5, 12/70R22.5, 275/80R22.5, 295/80R22.5, 305/70R22.5, 315/70R22.5
51R	675mm (26½")	685mm (27")	2135mm (84")	12.00x20, 12R22.5, 315/80R22.5

Vintage Body, Panel & Wing Fabrication

For over 30 years we have been Fabricating Vintage truck and car parts. From Mudguards, to seats, to panels even full running boards for classic cars.

As can be seen from the pictures we have the skill and know how in house to take your old rusted and dented patterns and bring them back to life.

Please contact us with your questions and requirements.



Spray Suppression & Mudflaps





Spray Supression Mudflaps

Product Information

- Lightweight – weighs only 5.75 kgs per square metre
- Easy to fit – fits snugly into mudguards without cutting, no side channels
- Anti-sail – excellent anti-sail properties
- Complies with European Directive (EU)109/2011
- Non-standard sizes on request
- Homologation No. A e6 0025

IMPORTANT When cutting/trimming Clear Pass flaps, **DO NOT** remove the e-mark stamping. Doing so will invalidate all legal and type approval requirements.



Spray Supression Mudflaps UK Specification

Part No.	Width (W)	Length (L)	Suits Mudguard
CPF15	400mm (15¾")	560mm (22")	IT420T, IT420S, IT420X
CPF16	410mm (16")	560mm (22")	IT450
CPF17	430mm (17")	560mm (22")	IT450
CPF18	460mm (18")	560mm (22")	IT480, IT500T, IT500
CPF20	510mm (20")	560mm (22")	IT530, IT530LP
CPF22	560mm (22")	560mm (22")	IT570
CPF23	585mm (23")	560mm (22")	IT610, IT615
CPF24	610mm (24")	560mm (22")	IT650, IT650LP
CPF2424	610mm (24")	610mm (24")	IT650, IT650LP
CPF25	635mm (25")	560mm (22")	IT670
CPF26	660mm (26")	560mm (22")	IT690, IT695, IT710
CPF2624	660mm (26")	610mm (24")	IT690, IT695, IT710
CPF27	685mm (27")	560mm (22")	IT710
CPF28	710mm (28")	560mm (22")	UNIVERSAL

Spray Supression Mudflaps European Specification

Part No.	Width (W)	Length (L)	Suits Mudguard
ECPF15	400mm (15¾")	710mm (28")	IT420T, IT420S, IT420X
ECPF16	410mm (16")	710mm (28")	IT450
ECPF17	430mm (17")	710mm (28")	IT450
ECPF18	460mm (18")	710mm (28")	IT480, IT500T, IT500
ECPF20	510mm (20")	710mm (28")	IT530, IT530LP
ECPF22	560mm (22")	710mm (28")	IT570
ECPF23	585mm (23")	710mm (28")	IT610, IT615
ECPF24	610mm (24")	710mm (28")	IT650, IT650LP
ECPF25	635mm (25")	710mm (28")	IT670
ECPF26	660mm (26")	710mm (28")	IT690, IT695, IT710
ECPF27	685mm (27")	710mm (28")	IT710
ECPF28	710mm (28")	710mm (28")	UNIVERSAL


EC Whole Vehicle Type Approval

With the advent of EC Whole Vehicle Type Approval, 2007/46/EC introduced in 2007 and certain amendments made latterly. It is now a mandatory requirement on vehicle categories N₂ (vehicles over 7.5 tonnes) N₃, O₃ and O₄, to adopt the European Fitment Criteria, which can only be achieved in most cases with Spray Supressions mudflaps of 710mm and over in length. UK specification Spray Supression mudflaps are permissible for retrofit on vehicles registered prior to EC Whole Vehicle Type Approval.

Spray Supression Flap & Valance Kits

Product Information

- Lightweight – weighs only 5.75 kgs per square metre
- Market Leading Brand
- Complies with European Directive (EU)109/2011
- Non-standard kits on request
- Homologation No. A e6 0025



IMPORTANT When cutting/trimming Clear Pass flaps, **DO NOT** remove the e-mark stamping. Doing so will invalidate all legal and type approval requirements.



Each Flap/Valance Kit Comes Complete With:

1 Pair	Flaps
1 Pair	Valances
1 Pair	Anti-sail Bars

Part No.	Width (W)	Length (L)	Valance Depth (D)	Valance Length (L)
CPF6/1842	460mm (18")	1070mm (42")	150mm (6")	1220mm (48")
CPF6/1848	460mm (18")	1220mm (48")	150mm (6")	1220mm (48")
CPF8/1842	460mm (18")	1070mm (42")	200mm (8")	1220mm (48")
CPF8/1848	460mm (18")	1220mm (48")	200mm (8")	1220mm (48")
CPF12/1842	460mm (18")	1070mm (42")	300mm (12")	1220mm (48")
CPF12/1848	460mm (18")	1220mm (48")	300mm (12")	1220mm (48")
CPF6/2442	610mm (24")	1070mm (42")	150mm (6")	1220mm (48")
CPF6/2642	660mm (26")	1070mm (42")	150mm (6")	1220mm (48")
CPF6/2448	610mm (24")	1220mm (48")	150mm (6")	1220mm (48")
CPF6/2648	660mm (26")	1220mm (48")	150mm (6")	1220mm (48")
CPF8/2442	610mm (24")	1070mm (42")	200mm (8")	1220mm (48")
CPF8/2642	660mm (26")	1070mm (42")	200mm (8")	1220mm (48")
CPF8/2448	610mm (24")	1220mm (48")	200mm (8")	1220mm (48")
CPF8/2648	660mm (26")	1220mm (48")	200mm (8")	1220mm (48")
CPF12/2442	610mm (24")	1070mm (42")	300mm (12")	1220mm (48")
CPF12/2642	660mm (26")	1070mm (42")	300mm (12")	1220mm (48")
CPF12/2448	610mm (24")	1220mm (48")	300mm (12")	1220mm (48")
CPF12/2648	660mm (26")	1220mm (48")	300mm (12")	1220mm (48")

Component Parts

Part No.	Width (W)	Length (L)	Depth (D)	Description
CPF1842	460mm (18")	1070mm (42")	–	Mudflap
CPF1848	460mm (18")	1220mm (48")	–	Mudflap
CPF2442	610mm (24")	1070mm (42")	–	Mudflap
CPF2448	610mm (24")	1220mm (48")	–	Mudflap
CPF2642	660mm (26")	1070mm (42")	–	Mudflap
CPF2648	660mm (26")	1220mm (48")	–	Mudflap
CPF6/48SV	–	1220mm (48")	150mm (6")	Valance
CPF8/48SV	–	1220mm (48")	200mm (8")	Valance
CPF12/48SV	–	1220mm (48")	300mm (12")	Valance
ANTI 12	305mm (12")	838mm (33")	–	Anti Sail Bar To Suit 460mm Wide Flaps
ANTI 18	460mm (18")	838mm (33")	–	Anti Sail Bar To Suit 610mm Wide Flaps

Netway® Spray Supression

Product Information


- Widely fitted as OE by European Truck Manufacturers. Including, DAF, Renault, Volvo, Man etc
- Lightweight polyethylene construction. 100% recyclable
- Complies with European Directive (EU)109/2011
- Netway can be cut and shaped without losing product integrity
- Homologation No. A e2 12091

IMPORTANT When cutting/trimming Netway®, **DO NOT** remove the e-mark stamping. Doing so will invalidate all legal and type approval requirements.



Standard Netway® Mudflaps & Fixings

Part No.	Width (W1)	Length (L1)	Description
FNW-055056	440	1000	Trailer Flap – Suits F-4660 Quarter Fender
FNW-055061	570	760	Replacement Tractor unit front Axle flap
FNW-075074	665	1050	Trailer Flap. Including Anti Sail Bars and Bolts
FNW-990179	–	–	Bulk bag of 100 plastic Netway Fixings and Screws
FNW-4F	–	–	Bag of 4 plastic Netway Fixings and Screws
FNW-6F	–	–	Bag of 6 plastic Netway Fixings and Screws



Shaped Netway® Tractor Unit Mudflaps

Part No.	Width (W1)	(W2)	Length (L1)	(L2)	To Suit
FNW-055069	690	620	1100	400	UNIVERSAL
FNW-092181/D1	690	660	740	280	DAF
FNW-092181/D2	690	660	790	330	DAF
FNW-092181/V	690	670	830	280	VOLVO
FNW-092181/RT	690	670	830	280	RENAULT

EC Whole Vehicle Type Approval

With the advent of EC Whole Vehicle Type Approval, 2007/46/EC introduced in 2007 and certain amendments made latterly. It is now a mandatory requirement on vehicle categories N₂ (vehicles over 7.5 tonnes) N₃, O₃ and O₄, to adopt the European Fitment Criteria, which can only be achieved in most cases with Spray Suppressions mudflaps of 710mm and over in length. UK specification Spray Suppression mudflaps are permissible for retrofit on vehicles registered prior to EC Whole Vehicle Type Approval.

Side Valance & Quarter Fenders


Quarter Fenders

- Reinforced fixing points for fitment directly to the underside of the vehicle
- Injection moulded HD-PE, high impact strength and UV resistant
- Can be used as an individual fender, or in conjunction with the netrout side valance



Netroute Side Valance

- Single Construction Side Valance
- Widely fitted by many major European Fridge Trailer Builders
- Complies with European Directive (EU)109/2011
- One piece valance supplied in 4 metre lengths
- Extruded from HDPE, high impact strength and UV resistant Available in 2 depths
- For speed and ease of fitment there are 3 types of aluminium rail available, the valance simply slides into the rail
- All rails supplied in 4 metre lengths
- Homologation No. Ae2 00 15163



IMPORTANT When cutting/trimming Netroute, **DO NOT** remove the e-mark stamping. Doing so will invalidate all legal and type approval requirements.

Part No.	Width (W)	Length (L)	Depth (D)	Description
F-4640	460mm (18")	–	400mm	Quarter Fender
F-4660	460mm (18")	–	600mm	Quarter Fender
F-150102	–	4000mm	100mm	Side Valance
F-160049	–	4000mm	150mm	Side Valance
F-961248	–	4000mm	–	Mounting rail – for Side Surface Mounting
F-961249	–	4000mm	–	Mounting rail – for fitment under vehicle body
F-020647	–	4000mm	50mm	Mounting rail – extended rail for fixing to underside of vehicle body. Increases overall valance depth to 200mm when used with Valance part no F-020154



F-160049
(150mm)



F-150102
(100mm)



F-961248



F-961249



F-020647

Thermoplastic Mudflaps

Product Information

- Lightweight – manufactured from Polyethylene
- Other sizes available on request
- Available plain or printed with your Company Logo



Part No.	Width (W)	Length (L)
66P	150mm (6")	150mm (6")
69P	150mm (6")	230mm (9")
99P	230mm (9")	230mm (9")
109P	254mm (10")	230mm (9")
129P	305mm (12")	230mm (9")
1210P	305mm (12")	254mm (10")
1212P	305mm (12")	305mm (12")
1412P	356mm (14")	305mm (12")
1612P	406mm (16")	305mm (12")
1812P	457mm (18")	305mm (12")
1818P	457mm (18")	457mm (18")
1836P	457mm (18")	915mm (36")
2012P	520mm (20½")	305mm (12")
2015P	520mm (20½")	380mm (15")
2018P	520mm (20½")	457mm (18")
2036P	520mm (20½")	915mm (36")
2212P	560mm (22")	305mm (12")
2215P	560mm (22")	380mm (15")
2218P	560mm (22")	457mm (18")
2236P	560mm (22")	916mm (36")
2248P	610mm (24")	1219mm (48")
2412P	610mm (24")	305mm (12")
2415P	610mm (24")	380mm (15")
2418P	610mm (24")	457mm (18")
2424P	610mm (24")	610mm (24")
2448P	610mm (24")	1220mm (48")

Rubber Mudflaps

Product Information

- Moulded from a fine quality rubber compound
- Heavy duty
- Available plain or printed with your Company Logo



Part No.	Width (W)	Length (L)
912R	229mm (9")	305mm (12")
1010R	254mm (10")	254mm (10")
1212R	305mm (12")	305mm (12")
1412R	356mm (14")	305mm (12")
1518R	380mm (15")	457mm (18")
1612R	406mm (16")	305mm (12")
1812R	457mm (18")	305mm (12")
1816R	457mm (18")	406mm (16")
1912R	483mm (19")	305mm (12")
2010R	508mm (20")	254mm (10")
2012R	508mm (20")	305mm (12")
2016R	508mm (20")	406mm (16")
2018R	508mm (20")	457mm (18")
2112R	534mm (21")	305mm (12")
2212R	560mm (22")	305mm (12")
2216R	560mm (22")	406mm (16")
2218R	560mm (22")	457mm (18")
2236R	560mm (22")	915mm (36")
2412R	610mm (24")	305mm (12")
2416R	610mm (24")	406mm (16")
2418R	610mm (24")	457mm (18")
2436R	610mm (24")	915mm (36")
2612R	660mm (26")	305mm (12")
2618R	660mm (26")	457mm (18")
2620R	660mm (26")	508mm (20")

Mudflap Printing

Product Information

- Available on Clear Pass, Netway®, Thermoplastic and Rubber Mudflaps
- Single or Multi-colour prints
- Computerised design and final proof service
- Low Quantity runs available
- A most cost effective way of advertising
- Quick turn-round from idea to product
- Enhance your image with personalised mudflaps
- Please note we will not print over the 'E' mark

Please contact our sales team for more information



Rear Pelmet Flap

Product Information

- Lightweight – weighs only 5.75kgs per square metre
- Market Leading Brand
- Complies with European Directive (EU)109/2011
- Homologation No. A e6 0025
- Non-standard pelmets on request



Clear Pass (2 part construction)

Part No.	Length (L)	Depth (D)
CPF9612	2440mm (96")	300mm (12")
CPF9616	2440mm (96")	405mm (16")
CPF9618	2440mm (96")	455mm (18")
CPF9624	2440mm (96")	610mm (24")

Product Information

- Moulded quality rubber compound
- One piece construction



Rubber

Part No.	Length (L)	Depth (D)
9612R	2440mm (96")	300mm (12")
9615R	2440mm (96")	380mm (15")



Brush System

Product Information

- Greatly reduces side spray
- Increased vision for vehicle driver and other road users
- Keeps vehicle cleaner
- Available in two kit styles or separate component parts
- Quick and easy to fit
- Lightweight
- Tested and Approved S e11 001



Brush System Standard Kit

Part No.	Description	Suits Mudguard
BS01	2 x Aluminium hangers 2 x 100mm brush @ 1.75 metres long	IT615, IT650, IT670, IT690, IT695, IT710, IT420X, IT450, IT500
BS01F	2 x Aluminium hangers 2 x 100mm brush @ 1.75 metres long 10 x Polytop rivets, 10 x Nylon spacers	IT615, IT650, IT670, IT690, IT695, IT710, IT420X, IT450, IT500

Brush System Economy Kit

Part No.	Description	Suits Mudguard
BS02	2 x 100mm brush @ 1.75 metres long 20 x Economy clips	IT615, IT650, IT670, IT690, IT695, IT710, IT420X, IT450, IT500
BS02F	2 x 100mm brush @ 1.75 metres long 20 x Economy clips, 20 x Polytop rivets	IT615, IT650, IT670, IT690, IT695, IT710, IT420X, IT450, IT500


Spare Parts

Part No.	Description
BS-HANGER-ST	STRAIGHT ALUMINIUM HANGER BY THE METRE
BS-HANGER-585	1.75M LONG RADIUS HANGER
BS-BRUSH-100	BRUSH BY THE METRE
BS-01FIX	10 x POLYTOP RIVETS & 10 x NYLON SPACERS
BS-02FIX	10 x POLYTOP RIVETS
BS-ECOCLIP	10 x ECONOMY CLIPS



Basic Fitment Criteria UK & EU Specifications

Mudguards and Flaps



Twin & Tri Axles

If the gap between the tyres is less than 2500mm, a flap on the rear mudguard only is necessary.

Flap Width


The flap should cover the full breadth of the tyre(s), except inside the mudguard, where it must cover the tyre tread(s) as a minimum.

* This may be increased to 300mm if the manufacturer deems it technically appropriate with regard to the suspension characteristics.

Basic Fitment Criteria & EU Specifications

Size	Non Steered	Steered
Dimension A	20° Maximum	30° Maximum
Dimension B	1.25R Maximum	1.5R Maximum
Dimension C	75mm Maximum	100mm Maximum
Dimension D	100mm Minimum UK specification or	100mm Minimum UK specification or
Dimension E	30° Minimum Euro specification	30° Minimum Euro specification
Dimension F	100mm Maximum	100mm Maximum

Flap Valance



Twin & Tri Axles

If the gap between the tyres is less than 250mm, a flap behind the rear most axle only, is necessary. However, the valance must continue and span the full length from Point A (see drawing) through to the flap behind the rear most axle.

Flap Width

The flap must cover the entire tyre breadth.

* This may be increased to 300mm if the manufacturer deems it technically appropriate with regard to the suspension characteristics.

EC Whole Vehicle Type Approval

With the advent of EC Whole Vehicle Type Approval, 2007/46/EC introduced in 2007 and certain amendments made latterly. It is now a mandatory requirement on vehicle categories N₂ (vehicles over 7.5 tonnes) N₃, O₃ and O₄, to adopt the European Fitment Criteria, which can only be achieved in most cases with Spray Suppressions mudflaps of 710mm and over in length. UK specification Spray Suppression mudflaps are permissible for retrofit on vehicles registered prior to EC Whole Vehicle Type Approval. For full and detailed fitment criteria, please refer to EU Regulation 109/2011 (Released 9.2.2011 – Updated 24.2.2015).

Mudguard Mounting Arms & Fitment Systems



IT Brackets - ITADJ Brackets

Product Information

- Lightweight plastic construction
- Unique design, superb appearance
- No unsightly nuts and bolts
- I-T Brackets hold the mudguard stay (pole) off the mudguard surface, hence no water traps – no rust problems
- Quick and easy to fit
- Mudguard removal for routine maintenance is faster
- User friendly, no tools needed under the mudguard to fit the bracket
- Unique 'gripping' system secures the I-T Bracket to the mudguard stay
- Resistant to most chemicals
- Fully Patented



IT Brackets

Part No.	To suit tube diameter
IT35	33.5mm – 35mm
IT42	41mm – 42.9mm
IT48	48mm – 49.9mm
IT50	50mm – 51.9mm
IT35ADJ	33.5mm – 35mm
IT42ADJ	41mm – 42.9mm
IT48ADJ	48mm – 49.9mm
IT50ADJ	50mm – 51.9mm

IT Brackets



ITADJ Brackets



IT-HD Brackets


Product Information

- The IT-HD bracket has been designed especially for the fitment of steel, aluminium, GRP and tractor unit mudguards
- Unique design, superb appearance
- No unsightly nuts and bolts
- IT-HD Brackets hold the mudguard stay (pole) off the mudguard surface, hence no water traps – no rust problems
- Quick and easy to fit
- Mudguard removal for routine maintenance is faster
- User friendly, no tools needed under the mudguard to fit the bracket
- Unique 'gripping' system secures the I-T Bracket to the mudguard stay
- Resistance to most chemicals
- Fully Patented



IT-HD Brackets

Part No.	To suit Brackets
IT42-HD	41mm - 42.9mm
IT48-HD	48mm - 49.9mm
IT50-HD	50.8mm - 52mm



Adjustable Metal Brackets

Part No.	To Suit Tube Diameter
F42-ADJ	42mm D

- For 42mm tube
- Zinc coated
- All tube & mudguard mounting bolts and nuts included
- Linear graduate guide pressed on base bracket for precise fitment



Featherwing 37

Mudguard Mounting Arms Tri Bolt Straight

Product Information

- Traditional 3-Bolt Fixing Method
- Slotted base Plate holes to facilitate easier fitment
- Available in 3 tube diameters
- Supplied with plastic end plugs
- Finished in a high quality protective zinc plate
- Available straight or cranked
- Bespoke arm manufacturing available upon request



Straight Mounting Arms Triangular Base Plate

Part No.	Length (L)	Diameter (D)
TU35A640	640mm	35mm
TU35A700	700mm	35mm
TU35A780	780mm	35mm
TU42A640	640mm	42mm
TU42A700	700mm	42mm
TU42A780	780mm	42mm
TU48A700	700mm	48mm
TU48A780	780mm	48mm

Mudguard Mounting Arms Tri Bolt Cranked




Cranked Mounting Arms 100mm Offset Triangular Base Plate

Part No.	Length (L)	Diameter (D)
CR35A700	700mm	35mm
CR35A780	780mm	35mm
CR42A700	700mm	42mm
CR42A780	780mm	42mm
CR48A700	700mm	48mm
CR48A780	780mm	48mm

Mudguard Mounting Arms Single Bolt

Product Information


- Single Bolt Fixing System
- Quick and Easy to fit
- Nyloc Nut and Washer provided
- Supplied with Anti-Slip Washer
- Finished in a High Quality Protective Zinc Plate
- Widely fitted by Trailer and Body builders
- Available in 2 Tube Diameters
- Tubes fitted with plastic end plug
- Bespoke arm manufacturing available upon request



Single Bolt Arms Straight

Part No.	Length (L)	Diameter (D)
TU35A590-SB	590mm	35mm
TU35A640-SB	640mm	35mm
TU35A700-SB	700mm	35mm
TU42A590-SB	590mm	42mm
TU42A640-SB	640mm	42mm
TU42A700-SB	700mm	42mm
TU42A780-SB	780mm	42mm

Mudguard Mounting Arms Single Bolt Cranked 100mm Offset




Single Bolt Arms Cranked 100mm Offset

Part No.	Length (L)	Diameter (D)
CR35A480-SB	480mm	35mm
CR35A540-SB	540mm	35mm
CR35A590-SB	590mm	35mm
CR35A635-SB	635mm	35mm
CR35A700-SB	700mm	35mm
CR35A780-SB	780mm	35mm
CR42A590-SB	590mm	42mm
CR42A700-SB	700mm	42mm
CR42A780-SB	780mm	42mm

Mudguard Mounting Arms Single Bolt Cranked 150mm Offset

Product Information

- Single Bolt Fixing System
- Quick and Easy to fit
- Nyloc Nut and Washer provided
- Supplied with Anti-Slip Washer
- Finished in a High Quality Protective Zinc Plate
- Widely fitted by Trailer and Body builders
- Available in 2 Tube Diameters
- Tubes fitted with plastic end plug
- Bespoke arm manufacturing available upon request



Single Bolt Arms Cranked 150mm Offset

Part No.	Length (L)	Diameter (D)
CR35A540-6-SB	540mm	35mm
CR35A590-6-SB	590mm	35mm
CR35A700-6-SB	700mm	35mm
CR35A780-6-SB	780mm	35mm
CR42A590-6-SB	590mm	42mm
CR42A700-6-SB	700mm	42mm
CR42A780-6-SB	780mm	42mm

Side Guard Bracket Kit


Part No.	Description
FR-SGBK	Side Guard Bracket Kit Including Clamps Suitable for Fruehauf Trailers to 2005



Stainless Steel Mudguard Mounting Arms Single Bolt

Product Information


- Single Bolt Fixing System
- Quick and Easy to fit
- Nyloc Nut and Washer provided
- Supplied with Anti-Slip Washer
- Available in 2 Tube Diameters
- Tubes fitted with plastic end plug
- Stainless Tube Specification 1.4310DP
- Bespoke arm manufacturing available upon request



Single Bolt Arms Straight

Part No.	Length (L)	Diameter (D)
TU35A590-SB-SS	590mm	35mm
TU35A640-SB-SS	640mm	35mm
TU35A700-SB-SS	700mm	35mm
TU42A590-SB-SS	590mm	42mm
TU42A640-SB-SS	640mm	42mm
TU42A700-SB-SS	700mm	42mm
TU42A780-SB-SS	780mm	42mm

Stainless Steel Mudguard Mounting Arms Cranked 100mm Offset



Single Bolt Arms Cranked 100mm Offset

Part No.	Length (L)	Diameter (D)
CR35A480-SB-SS	480mm	35mm
CR35A540-SB-SS	540mm	35mm
CR35A590-SB-SS	590mm	35mm
CR35A635-SB-SS	635mm	35mm
CR35A700-SB-SS	700mm	35mm
CR35A780-SB-SS	780mm	35mm
CR42A590-SB-SS	590mm	42mm
CR42A700-SB-SS	700mm	42mm
CR42A780-SB-SS	780mm	42mm

AVAILABLE
ONLY FROM
FEATHERWING

Stainless Steel Mudguard Mounting Arms Tri Bolt Straight

Product Information


- Traditional 3-Bolt Fixing Method
- Slotted base Plate holes to facilitate easier fitment
- Available in 3 tube diameters
- Supplied with plastic end plugs
- Available straight or cranked
- Stainless Tube Specification 1.4310DP
- **Bespoke arm manufacturing available upon request**



Straight Mounting Arms Triangular Base Plate

Part No.	Length (L)	Diameter (D)
TU35A640-SS	640mm	35mm
TU35A700-SS	700mm	35mm
TU35A780-SS	780mm	35mm
TU42A640-SS	640mm	42mm
TU42A700-SS	700mm	42mm
TU42A780-SS	780mm	42mm
TU48A700-SS	700mm	48mm
TU48A780-SS	780mm	48mm

Stainless Steel Mudguard Mounting Arms Tri Bolt Cranked



Cranked Mounting Arms 100mm Offset Triangular Base Plate

Part No.	Length (L)	Diameter (D)
CR35A700-SS	700mm	35mm
CR35A780-SS	780mm	35mm
CR42A700-SS	700mm	42mm
CR42A780-SS	780mm	42mm
CR48A700-SS	700mm	48mm
CR48A780-SS	780mm	48mm

**AVAILABLE
ONLY FROM
FEATHERWING**

Alubloc

Product Information

- Cast Aluminium Bracket
- AS 10 G Y33 grade Aluminium
- The tube is secured within the bracket by a bolt operated locking clamp
- The tube should be inserted fully into the bracket to get the correct fitting
- Alubloc should be positioned with the axis of the locking clamp and tube centre vertical



Part No.	Description
ALUBLOC	Mounting Bracket 42mm Ø

Alutube

Product Information

- Weight saving and non corrosive aluminium tube
- To be used in conjunction with Alubloc and Aluring systems
- Tube supplied with plastic end plug



Part No.	Description
TU42A590-ALU	Straight, 42mm Ø Tube, 590mm Long
TU42A700-ALU	Straight, 42mm Ø Tube, 700mm Long
TU42A780-ALU	Straight, 42mm Ø Tube, 780mm Long

Aluring

Product Information

- Polished Aluminium clamp and backing plate
- AS 10 G Y33 grade Aluminium
- Supplied complete with Nut, Bolt & Washer



Part No.	Description
ALURING	Polished Clamp & Backing Plate to suit 42mm Ø Tube

Euro Clamp

Product Information

- High quality 2-part clamping system
- Finished with a quality zinc plate
- 2 clamps required per arm




Part No.	To Suit Tube Diameter
EC42	42mm

U Bolt Clamps

Product Information

- Backplate galvanised finish
- Full kit fits **one pair** of mudguards
- Neoprene anti-slip sleeve included



Kit Part No.	U Bolt Part No.	Black Plate Part No.	To Suit Tube Diameter (D)	Suits Mudguard
UB35NK	UB35	UB35BPN	35mm	Up To 570mm Wide
UB35WK	UB35	UB35BPW	35mm	Over 570mm Wide
UB42NK	UB42	UB42BPN	42mm	Up To 570mm Wide
UB42WK	UB42	UB42BPW	42mm	Over 570mm Wide
UB50NK	UB50	UB50BPN	50mm	Up To 570mm Wide
UB50WK	UB50	UB50BPW	50mm	Over 570mm Wide
A Complete Kit Contains Enough Components To Fit ONE PAIR OF MUDGUARDS				
U Bolt Part No's Come Complete With Neoprene Anti-Slip Sleeve, Nyloc Nuts And Washers				

Saddles & Back Plates Kits & Components

Product Information

- Saddles and Backplates available in 2 lengths
- Pre-Punched with slots for easier fitment
- Nut and Bolt Kit Available
- Saddles and Backplates supplied in Galvanised finish
- Available as separate components or in full kits



Saddles & Back Plates Kits & Components Cranked Arms

Kit Part No.	Back Plate Part No.	Saddle Part No.	Nut & Bolt Part No.	Arm Part No.	To Suit Tube Diameter	Suits Mudguard
CR35COMN	35BKPN	35SADN	UNAB	CR35A700	35mm	Up To 570mm Wide
CR35COMW	35BKPW	35SADW	UNAB	CR35A700	35mm	Over 570mm Wide
CR42COMN	42BKPN	42SADN	UNAB	CR42A700	42mm	Up To 570mm Wide
CR42COMW	42BKPW	42SADW	UNAB	CR42A700	42mm	Over 570mm Wide
CR48COMN	48BKPN	48SADN	UNAB	CR48A700	48mm	Over 570mm Wide
CR48COMW	48BKPW	48SADW	UNAB	CR48A700	48mm	Over 570mm Wide
A Complete Kit contains one of each Component as detailed in the tables						
Saddles and Backplates suffixed "N" are 320mm long (L)						
Saddles and Backplates suffixed "W" are 400mm long (L)						

Saddles & Back Plates Kits & Components Straight Arms

Kit Part No.	Back Plate Part No.	Saddle Part No.	Nut & Bolt Part No.	Arm Part No.	To Suit Tube Diameter	Suits Mudguard
TU35COMN	35BKPN	35SADN	UNAB	TU35A700	35mm	Up To 570mm Wide
TU35COMW	35BKPW	35SADW	UNAB	TU35A700	35mm	Over 570mm Wide
TU42COMN	42BKPN	42SADN	UNAB	TU42A700	42mm	Up To 570mm Wide
TU42COMW	42BKPW	42SADW	UNAB	TU42A700	42mm	Over 570mm Wide
TU48COMN	48BKPN	48SADN	UNAB	TU48A700	48mm	Up To 570mm Wide
TU48COMW	48BKPW	48SADW	UNAB	TU48A700	48mm	Over 570mm Wide
A Complete Kit contains one of each Component as detailed in the tables						
Saddles and Backplates suffixed "N" are 320mm long (L)						
Saddles and Backplates suffixed "W" are 400mm long (L)						

Fire Extinguisher Cases




Top Loading Fire Extinguisher Cases 6Kg & 9Kg

Product Information

- Designed specifically to hold FE-PD6G and FE-PD9G Dry Powder Extinguisher (please see Fire Extinguisher Page)
- Ideal for general fitment, or when space is at a premium
- Suitable for surface mounting or under hanging fitment
- 4 different fitment configurations possible
- Quick release lid which falls clear of the box for fast access.
- Lightweight Polyethylene construction, good chemical and impact resistance, fitted with waterproof seal
- Available with or without the Universal Fitting Kit




Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB231	285mm	570mm	260mm	Extinguisher Case – Suits FE-PD6G 6kg fire extinguisher
BJB231 FIX				Fixing bracket to suit BJB231
BJB19E	280mm	510mm	220mm	Extinguisher Case – Suits FE-PD 6G
BJB19EF	280mm	510mm	220mm	As BJB 19E, includes Universal Fixing Kit
BJB20E	280mm	650mm	240mm	Extinguisher Case – Suits FE-PD 9G
BJB20EF	280mm	650mm	240mm	As BJB 20E, includes Universal Fixing Kit
BJB19FIX	–	–	–	Universal Fitting Kit – Suits both BJB19E and BJB20E




Narrow Hanging Use

- 4 x L shape brackets
- 4 x backplates
- 8 x M8 bolts & nyloc nuts




Narrow Surface Mount Use

- 4 x L shape brackets
- 4 x backplates
- 8 x M8 bolts & nyloc nuts



Wide Hanging Use

- 4 x L shape brackets
- 4 x backplates
- 8 x M8 bolts & nyloc nuts




Wide Surface Mount Use

- 4 x L shape brackets
- 2 x backplates
- 2 x washers (front fixing points)
- 4 x M8 bolts & nyloc nuts

Top Loading Fire Extinguisher Case

Product Information

- Lightweight – manufactured from Polyethylene
- High chemical and impact resistance
- Waterproof seal
- Internal Extinguisher restraining strap
- Easy fitment
- All fixings coated with anti-corrosive protection




Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB18EF	310mm	675mm	280mm	Top Loading Spill Kit Case Complete with all Bracketry
BJB18E	310mm	675mm	280mm	Top Loading Fire Extinguisher Case Only
BJB18FIX	–	–	–	Fixing Bracket Kit to suit BJB18E
Compatible with most 6Kg, 9Kg & 12Kg Fire Extinguishers				

Extinguisher & Spill Kit Combi-Box

Product Information

- Dual Purpose Extinguisher and Spill Kit Case
- Moulded from heavy duty polyethylene
- Suitable for Extinguishers up to 9kg
- Water resistant seal




Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB22ES	320mm	650mm	640mm	Dual Purpose Extinguisher and Spill Kit Case with Brackets

Premium Fire Extinguisher Case

Product Information

- Moulded from heavy duty polyethylene
- Inspection Window on BJB24E
- Moulded-in fixing points
- Ideally suited to the Petrochemical Industries
- Fitted with water resistant seal



BJB24E

Part No.	Width (W)	Height (H)	Length (L)	Description
BJB24E	250mm	290mm	735mm	9kg Fire Extinguisher Box with Window

Premium Spill Kit Box & Extinguisher-Spill Kit Combi Box

Product Information

- Inspection Window on BJB25S & 25ES
- Dual Purpose Extinguisher and Spill Kit Case
- Moulded from heavy duty polyethylene
- Suitable for Extinguishers up to 9kg
- Water resistant seal



BJB25S



Inside BJB25ES



BJB25ES

Part No.	Width (W)	Height (H)	Length (L)	Description
BJB25S	250mm	370mm	735mm	Spill Kit Box in Black, Grey or Green
BJB25ES	250mm	370mm	735mm	Dual Purpose Spill Kit and 6kg Fire Extinguisher Box (RED)

Front Loading Fire Extinguisher Cases

Product Information


- All Plastic Construction, Non-Corrosive
- Lightweight
- Viewing Window
- Internal Extinguisher Strap
- Suitable for most 6KG and 9KG Extinguishers



BJB-RB155

BJB-RB145

Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB-RB155	290mm	690mm	260mm	Front Loading Extinguisher Box Including Internal Strap and Viewing Window Suitable For Most Extinguishers Up To 9kg
BJB-RB155-B	290mm	690mm	260mm	As Above but in Black
BJB-RB145	290mm	640mm	230mm	Front Loading Extinguisher Box Including Internal Strap and Viewing Window Suitable For Most Extinguishers Up To 6kg



Fire Extinguishers

Product Information

- Dry Powder Extinguisher.
- Available in 1KG, 2KG, 3KG, 4KG, 6KG, 9KG and 12KG sizes
- CE Marked
- Gauge Testing System
- Lloyds Registered



Part No.	Capacity	Description
FE-PD1G	1kg	Dry Powder Extinguisher
FE-PD2G	2kg	Dry Powder Extinguisher
FE-PD3G	3kg	Dry Powder Extinguisher
FE-PD4G	4kg	Dry Powder Extinguisher
FE-PD6G	6kg	Dry Powder Extinguisher
FE-PD9G	9kg	Dry Powder Extinguisher
FE-PD12G	12kg	Dry Powder Extinguisher

ADR Spill Kits & Cases



Spill Kit Cases

Product Information

- Lightweight – manufactured from Polyethylene
- High chemical and impact resistance
- Waterproof seal
- Easy fitment
- Available with or without fixing brackets
- All fixings coated with anti-corrosive protection

BJB-RB155-B



BJB18S

BJB450SF

Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB18S	310mm	675mm	280mm	Case Only (Black)
BJB18SF	310mm	675mm	280mm	Case & Fixing Kit (Black)
BJB18FIX	–	–	–	Fixing Kit Only
BJB22ES	320mm	650MM	640MM	Dual Purpose Spill Kit and 6 kg Fire Extinguisher Box (Black/Red)
BJB25S	250mm	370mm	735mm	Spill Kit Box in Black, Grey or Green
BJB25ES	250mm	370mm	735mm	Dual Purpose Spill Kit and 6 kg Fire Extinguisher Box (Red)
BJB-RB155-B	290mm	690mm	260mm	Black Front Loading Spill Kit Case (Black)
BJB450SF	440mm	398mm	480mm	Box Complete with Bracket Kit (Black)



BJB25ES



BJB22ES



BJB25S (Green)

Spill Kits & Cases

Product Information

- 2 kits to cope with different sized risks
- Available as a complete kit or contents only
- PPE supplied in all kits
- Oil specific or hazardous chemical kits available



Oil Only Spill Kits Absorbs Up To 30 Litres

Part No.	Description
BJB18FSPK-OIL	Spill Kit Box, 20 Pads 40x52cm, 3 Socks 125x7.5cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie
BJB18FSPK-OIL-D	Spill Kit Box, 20 Pads 40x52cm, 3 Socks 125x7.5cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie, 1 x Blocking Slab
BJB18SF	Spill Kit Box
SPK18-OIL	Kit Refill
SPK18-OIL-D	Kit Refill
310mm Wide X 675mm Long X 280mm Depth	

Oil Only Spill Kits Absorbs Up To 65 Litres

Part No.	Description
BJB450FSPK-OIL	Spill Kit Box, 25 Pads 40x52cm, 4 Socks 125x7.5cm, 2 Cushions 42x37x10 cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie
BJB450FSPK-OIL-D	Spill Kit Box, 25 Pads 40x52cm, 4 Socks 125x7.5cm, 2 Cushions 42x37x10 cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie, 1 x Blocking Slab
BJB450SF	Spill Kit Box
SPK450-OIL	Kit Refill
SPK450-OIL-D	Kit Refill
440mm Wide X 398mm High X 480mm Depth	

Hazardous Chemical Spill Kits Absorbs Up To 30 Litres

Part No.	Description
BJB18FSPK-HC	Spill Kit Box, 20 Pads 40x52cm, 3 Socks 125x7.5cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie
BJB18FSPK-HC-D	Spill Kit Box, 20 Pads 40x52cm, 3 Socks 125x7.5cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie, 1 x Blocking Slab
SPK18-HC	Kit Refill
SPK18-HC-D	Kit Refill
310mm Wide X 675mm Long X 280mm Depth	

Hazardous Chemical Spill Kits Absorbs Up To 65 Litres

Part No.	Description
BJB450FSPK-HC	Spill Kit Box, 25 Pads 40x52cm, 4 Socks 125x7.5cm, 2 Cushions 42x37x10 cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie
BJB450FSPK-HC-D	Spill Kit Box, 25 Pads 40x52cm, 4 Socks 125x7.5cm, 2 Cushions 42x37x10 cm, 1 Gloves & Goggles, 1 Disposable Bag & Tie, 1 x Blocking Slab
SPK450-HC	Kit Refill
SPK450-HC-D	Kit Refill
440mm Wide X 398mm High X 480mm Depth	

Wheel Chock

Product Information

- Conforms to DIN-76051-53
- Tested to +50°C / -30°C
- Heavy Duty Plastic Construction
- ADR Required
- Holder supplied in plastic





Part No.	Length	Height	Width	Weight	Description
WCH02	500mm	280mm	200mm	1.8kg	Wheel Chock
WCH02-H	-	-	-	0.6kg	Holder

Thermoplastic Number Plate Holders

Product Information

- Lightweight and strong
- Plate fitting and removal from either side of holder
- NPH 01 – Plate Holder Only
- NPH 02 – Includes lamp bracket to suit all popular number plate lamps



Part No.	Description
NPH 01	Number Plate Holder in Black Modified Polypropylene
NPH 02	Number Plate Holder in Black Modified Polypropylene Incorporating Bracket to Fix a Lamp
NPH 04	Light and Number Plate Holder for DAF CF85 & XF95 2000 to 2007
Suitable for Plates up to 310mm Wide x 210mm High	

ADR & Hazardous Goods Equipment



Part No.	Description
SPK-BUCKET	5 LTR Bucket with sealable Lid
SPK-DRAIN-COVER	1m X 1m Neoprene Drain Cover
SPK-FIRST-AID-KIT	Truck & Van First Aid Kit Including 20ml Eye Wash Pods
SPK-SHOVEL-2PCE	2 Piece Orange / Black Plastic Space Saver Shovel
SPK-BRUSH	Firm Bristle with Aluminium Pole
SPK-SHOVEL-CLIP-R	Rubber Mounting Clip for Shovel
SPK-BRUSH-CLIP-R	Rubber Mounting Clip for Brush
SPK-25-OIL	Spill Kit Refill
SPK-25-ES-OIL	Spill Kit Refill

Thermoplastic & Aluminium Storage Cases




Thermoplastic Toolboxes

Product Information

- Fully Recyclable
- Water Resistant Seal
- Easy Fit Mounting System
- Superior Handles & Locking system
- Lightweight – manufactured from polyethylene
- High Chemical and Impact Resistance
- Available in 4 sizes
- Complies with EU Directive CEE 89/297 (Side Protection)





Part No.	Width (W)	Height (H)	Depth (D)	Description
BJB-450F	440mm	398mm	480mm	Including Fixings
BJB-600F	600mm	465mm	485mm	Including Fixings
BJB-800F	753mm	460mm	455mm	Including Fixings
BJB-1000	1000mm	500mm	500mm	–
BJB-1000FIX	–	–	–	Fixing Kit For BJB-1000



Aluminium Chequer Plate Toolboxes

Product Information

- Manufactured from 2mm Aluminium Chequer Plate
- Flush Fitting, Quarter Turn Locking 'T' Handle
- Fitted with hollow 'D' section seal
- Protective base mat supplied for increased strength and durability
- Special size boxes made to order



Part No.	Width (W)	Height (H)	Depth (D)
BJB450-ACH	450mm	480mm	490mm
BJB600-ACH	600mm	480mm	490mm
BJB800-ACH	800mm	480mm	490mm
BJB1000-ACH	1000mm	480mm	490mm
BJB1200-ACH	1200mm	480mm	490mm

BESPOKE SIZES FABRICATED TO CUSTOMER SPECIFICATION

Document Holder

Product Information

- Fully Recyclable
- Water Resistant Seal
- Easy fit Moulded Mounting System
- Lightweight – manufactured from polyethylene
- High Chemical and Impact Resistance
- Secure screw lid fastening system




Part No.	Length (L)	Outer Dia' (OD)	Internal Dia' (ID)	Colour
DOC103	320mm	100mm	85mm	Black

Mid-pod Storage Box

Product Information

- Handy storage unit
- Equally suitable for Tractor Unit or Trailer use
- Supplied with mounting arms
- Designed to fit between mudguards
- Makes good use of otherwise wasted space
- Suitable for storing ropes, straps, gloves etc



Part No.	Width (W)	Height (H)	Depth (D)	Description
MP01-S	410mm	360mm	500mm	Mid pod box including mounting arms @ 595mm long and fixings
MP01-L	410mm	360mm	500mm	Mid pod box including mounting arms @ 680mm long and fixings

Anti-Slip Tape & Bespoke Products



Anti-slip Tape

Product Information

- Hard Wearing Non-Slip Surface
- Super Adhesion – sticks to most clean, dry surfaces
- Unlimited uses: Trucks, Trailers, Workshops, Stairs, Ramps etc
- High Resistance to Chemicals and Detergents



Part No.	Width (W)	Colour
AST-25	25mm	Black Anti-Slip Tape
AST-50	50mm	Black Anti-Slip Tape
AST-100	100mm	Black Anti-Slip Tape
AST-150	150mm	Black Anti-Slip Tape
AST-200	200mm	Black Anti-Slip Tape
AST-250	250mm	Black Anti-Slip Tape
AST-25BY	25mm	Black and Yellow Anti-Slip Tape
AST-50BY	50mm	Black and Yellow Anti-Slip Tape
AST-100BY	100mm	Black and Yellow Anti-Slip Tape
AST-150BY	150mm	Black and Yellow Anti-Slip Tape
AST-200BY	200mm	Black and Yellow Anti-Slip Tape
AST-250BY	250mm	Black and Yellow Anti-Slip Tape
AST-SEAL		310ml Tube - Tape Sealant - Recommended for use if the edge of the tape is positioned on an exposed edge
All Anti-Slip Tapes are supplied in 18m Roll Lengths		

Plastic & Metal Bespoke Products

Product Information

In addition to the wide range of listed products, we also offer a bespoke manufacturing service. Vehicle parts can be specifically manufactured to your requirements, in a variety of materials, from plastic, steel or aluminium.

When it comes to making your mark, our in-house printing service provides the option of maintaining a brand image across your fleet.

In-house manufacture ensures consistency of quality, plus total control over fabrication and assembly. Another reason why so many customers rely on the name Boydell & Jacks Limited.



PLEASE CONTACT US WITH YOUR REQUIREMENTS

Terms & Conditions of Sale

1) DEFINITIONS

In these conditions,

"The Seller" shall mean Boydell & Jacks Ltd.

"The Buyer" shall mean the firm, person or company with whom any contract is made or to whom any quotation is addressed.

"The Goods" shall mean the goods agreed to be sold as described on the Invoice

2) DELIVERY

a) Delivery shall be at Buyer's premises unless otherwise agreed or stipulated The Seller will charge for delivery on consignments less than the sellers current carriage paid rates.

b) The Seller will use best efforts to meet delivery dates mentioned in any quotation, order or elsewhere. Such dates are not of contractual effect and the Seller shall be under no liability for failure to meet any such dates.

c) The Seller shall be entitled to deliver the products in one or more consignments unless otherwise expressly agreed.

d) If the Buyer refuses or fails to take delivery of goods tendered in accordance with the contract the Seller shall be entitled to immediate payment in full for goods tendered and to store such goods at the risk of the Buyer. The Buyer shall in addition to the purchase price pay all costs of such storage and any additional costs incurred as a result of such refusal or failure. The Seller shall be entitled, after the expiration of three months from date upon which the price became payable, to dispose of the goods in such manner as the Seller may determine.

3) PASSING OF PROPERTY

a) Title of the goods shall not pass to the Buyer until payment is made in full. Until payment is made the Buyer shall have possession of the goods as bailee for the Seller and shall store the goods in such a way as to enable them to be identified as the property of the Seller.

b) If the Buyer is purchasing the goods for resale the Buyer may, as agent for the Seller, sell and deliver the goods to a third party in the ordinary use of the Buyer's business on condition that until such payment, as aforesaid the Buyer shall hold all proceeds of such sales in trust for the Seller and in a separate account. The Buyer hereby assigns to the Seller all rights and claims which the Buyer may have against its customers arising from such sales until payment is made.

4) RESERVATION OF TITLE

This is a condition of sale which applies to this and all deliveries.

No title to a property in the goods shall vest in the buyer until payment of the goods and all monies due have been received in full. In case of non-payment we shall be entitled to enter premises and repossess goods, or proceeds of sale, in your possession or in the hands of any liquidator or receiver. Acknowledgment or receipt of goods shall be proof of acknowledgment of this condition applying to this end and all future sales and cannot therefore be regarded as a post contractual condition.

5) PAYMENT

a) Unless otherwise agreed in writing, payment will be made by the Buyer for the goods and any installment of the goods not later than the agreed terms. Notwithstanding that delivery may not have taken place and the property in the goods has not passed to the Buyer. Payment shall be made at the Seller's registered office and in pounds sterling.

b) Where any sum owed by the Buyer to the Seller is overdue whether under any contract at any time or the credit standing of the Buyer has become impaired for any reason; the Seller may without prejudice to any other right give notice to the Buyer and thereafter withhold any deliveries of goods until arrangements as to payment is received, or credit having been established which is satisfactory to the Seller or may terminate the contract at its discretion.

c) Time for payment shall be of the essence.

d) Interest may be charged by the Seller if previously agreed with the buyer at 3% over Barclays Bank PLC base lending rate for the time being in force for all sums overdue for payment.

e) The Buyer shall pay the price of the Goods and all charges due without any deduction whether by way of set off, counterclaim or otherwise.

6) BUYER CLAIM / LOSS / DAMAGE / DEFECT

a) Seller shall not be liable to the Buyer.

(i) For shortages in quantity delivered unless specifically signed for as short delivered and the Seller notified within seven days.

(ii) For damage or loss of goods or any part thereof in transit, unless the Buyer notifies the Seller of any such claim within seven days and the Buyer has again specifically signed that goods are faulty.

(iii) For defects in the goods caused by any act, neglect or default of the Buyer. (iv) For other defects in or loss of damage to the goods unless notified to the Seller within seven days of receipt of goods or where the defect would not be apparent on reasonable inspection within 3 months of delivery.

b) The Seller may at its option make good any shortages or non-delivery and or as appropriate replace or repair any goods found by the Seller to be damaged or defective. In any case where the Seller agrees to replace the goods the Buyer shall on request of the Seller return the damaged or defective goods to the Seller carriage paid.

c) The Seller aggregate liability to the Buyer, whether for negligence, breach of contract, misrepresentation, or otherwise, shall in no circumstances exceed the cost of the defective, damaged or undelivered goods, determined by net price invoiced to the Buyer in respect of any occurrence.

d) The Seller's prices are determined on the basis of the limits of liability set out in this condition, the Buyer may by written notice to the Seller request the Seller to agree to a higher limit of liability provided insurance cover can be obtained. The Seller shall effect insurance up to such limit and the Buyer shall pay upon demand the amount of any and all premiums.

7) PASSING OF RISK

Risk in the goods shall pass to the Buyer on physical delivery to the Buyer or to the Buyer's agent.

8) PRICE

(i) The Seller may vary the price if there is any increase in the Seller's list price current at the date hereof.

(ii) The price shall be subject to VAT at the rate applicable.

(iii) In addition the Seller reserves the right by giving notice to the Buyer at any time before delivering to increase the price of the goods, to reflect any increase in the cost to the Seller which is due to any factor beyond the Seller's control.

9) THIRD PARTY RIGHTS

(i) The Buyer shall indemnify the Seller against any and all liabilities, claims and costs incurred by or made against the Seller, as a direct or indirect result of carrying out any work required to be done on or to the goods.

(ii) The Seller shall have no liability to the Buyer in the event of the goods infringing or being alleged to infringe the rights of any third party. In the event that the goods are or may be the subject of a patent copyright, registered design, trade mark, or other rights of any third party, the Seller shall be obliged to transfer to the Buyer only such title as the Seller may have.

10) FORCE MAJEURE

a) The Seller shall not be liable to the Buyer for any loss or damage which may be suffered by the Buyer as a direct or indirect result of the supply of the goods by the Seller being prevented, hindered, delayed or rendered uneconomic by reason of circumstances or events beyond the Seller's reasonable control, including but not limited to, Act of God, war, riot, strike, lock out, trade dispute or labour disturbance, accident, break down of plant machinery, fire, flood, storm, difficulty or increased expense in obtaining workmen, materials or transport or other circumstances affecting the supply of goods by the Seller's normal means or the delivery of the goods by the Seller's normal route or means of delivery.

11) CANCELLATION AND TERMINATION

The Seller may without prejudice to any of its other rights stop any goods in transit or suspend further deliveries or terminate the rights of the Buyer in Accordance with Clause 2 by notice in writing to determine the contract if:

a) The Buyer commits any breach of this or any other contract between the Buyer and the Seller.

b) The Buyer enters into a deed of arrangement or commits an act of bankruptcy or compounds with his Creditors or if a receiving order is made against him or if being a company a resolution is passed for the winding-up of the Buyer, or if a receiver is appointed of any of the Buyers assets or undertaking or if the Buyer takes or suffers any similar or analogous action in consequence of debt.

12) LAW

This contract is in all respect governed by and construed in accordance with the Laws of England and the parties hereby submit to the jurisdiction of the English Courts.

Product Selection

Part No.	Page
IT180	7
IT200	7
IT250	7
IT275	7
IT275LP	7
IT320S	7
IT320S	7
IT420Xi	7
IT420X	7
IT450	7
IT490	7
IT500	7
IT420T	8
IT425	8
IT475	8
IT480	8
IT500T	8
IT530	8
IT530LP	8
IT570	8
IT610	8
IT615	8
IT650	8
IT650LP	8
IT670	8
IT690	8
IT695	8
IT710	8
IT420T-ADJ	9
IT420S-ADJ	9
IT420X-ADJ	9
IT420Xi-ADJ	9
IT450-ADJ	9
IT500-ADJ	9
IT500SFT-ADJ	9
IT500T-ADJ	9
IT530LP-ADJ	9
IT610-ADJ	9
IT615-ADJ	9
IT650-ADJ	9
IT650SFT-ADJ	9
IT670-ADJ	9
IT695-ADJ	9
IT710-ADJ	9
IT260FT	10
IT470LPFT	10
IT470FT	10
IT500FT	10
IT550FT	10
IT615FT	10
IT650FT	10
SK410	10

Part No.	Page
SK610	10
SK695	10
IT500SFT	11
IT650SFT	11
VF-3032QF-O	12
VF-3032QF	12
VF-4335QF	12
VF-4650QF	12
VF-5250QF	12
VF-6050QF	12
VF-6560QF	12
VF-6960QF	12
F-4640	12
F-4660	12
VF-3032QF-O-ADJ	12
VF-3032QF-ADJ	12
VF-4335QF-ADJ	12
VF-4650QF-ADJ	12
VF-5250QF-ADJ	12
VF-6050QF-ADJ	12
VF-6560QF-ADJ	12
VF-6960QF-ADJ	12
VF-180STM	13
VF-260STM	13
VF-200F	13
RM-200S	13
RM-200L	13
IT-PT-81456	13
IT-PT81634	13
ST450W-IT	14
ST650N-IT	14
ST650W-IT	14
ST695N-IT	14
450NC-IT	14
650NC-IT	14
695NC-IT	14
450W-IT	14
650NF-IT	14
650WF-IT	14
695NF-IT	14
450FX	14
650FX	14
695FX	14
GRP420FT-IT	15
GRP250-IT	15
GRP450-IT	15
GRP695-IT	15
1	19
2	19
3	19
4	19
4A	19

Part No.	Page
4B	19
4C	19
4D	19
5	19
6	19
6A	19
7	19
8	19
9	19
10	19
11	19
12	19
13	19
14	19
15	19
16	19
17	19
18	19
19	19
20	19
21	19
29	19
30	19
30A	19
31	19
32	19
54	19
42C	19
54B	19
27	20
27A	20
28	20
33	20
34	20
35	20
37	20
37A	20
38	20
39	20
40	20
41	20
42	20
42A	20
42B	20
43A	20
43B	20
43	20
44	20
45	20
46	20
47	20
53	20

Part No.	Page
48	20
48A	20
50	20
50B	20
51	20
52	20
52A	20
52B	20
12-ACH	21
30A-ACH	21
54B-ACH	21
48-ACH	21
50B-ACH	21
51-ACH	21
52A-ACH	21
52B-ACH	21
54A-ACH	21
12-ALU	22
30A-ALU	22
48-ALU	22
50B-ALU	22
51-ALU	22
52A-ALU	22
54A-ALU	22
52B-ALU	22
54B-ALU	22
38R	22
43R	22
44R	22
45R	22
46R	22
48R	22
48AR	22
50BR	22
51R	22
CPF15	25
CPF16	25
CPF17	25
CPF18	25
CPF20	25
CPF22	25
CPF23	25
CPF24	25
CPF2424	25
CPF25	25
CPF26	25
CPF2624	25
CPF27	25
CPF28	25
ECPF15	25
ECPF16	25
ECPF17	25

Product Selection

Part No.	Page
ECPF18	25
ECPF20	25
ECPF22	25
ECPF23	25
ECPF24	25
ECPF25	25
ECPF26	25
ECPF27	25
ECPF28	25
CPF6/1842	26
CPF6/1848	26
CPF8/1842	26
CPF8/1848	26
CPF12/1842	26
CPF12/1848	26
CPF6/2442	26
CPF6/2642	26
CPF6/2448	26
CPF6/2648	26
CPF8/2442	26
CPF8/2642	26
CPF8/2448	26
CPF8/2648	26
CPF12/2442	26
CPF12/2642	26
CPF12/2448	26
CPF12/2648	26
CPF1842	26
CPF1848	26
CPF2442	26
CPF2448	26
CPF2642	26
CPF2648	26
CPF6/48SV	26
CPF8/48SV	26
CPF12/48SV	26
ANTI 12	26
ANTI 18	26
FNW-055056	27
FNW-055061	27
FNW-075074	27
FNW-990179	27
FNW-4F	27
FNW-6F	27
FNW-092181/D1	27
FNW-092181/D2	27
FNW-092181/V	27
FNW-092181/RT	27
FNW-092181/RP	27
F-4640	28
F-4660	28
F-020237	28

Part No.	Page
F-020154	28
F-961248	28
F-961249	28
F-020647	28
66P	29
69P	29
99P	29
109P	29
129P	29
1210P	29
1212P	29
1412P	29
1612P	29
1812P	29
1818P	29
1836P	29
2012P	29
2015P	29
2018P	29
2036P	29
2212P	29
2215P	29
2218P	29
2236P	29
2248P	29
2412P	29
2415P	29
2418P	29
2424P	29
2448P	29
912R	30
1010R	30
1212R	30
1412R	30
1518R	30
1612R	30
1812R	30
1816R	30
1912R	30
2010R	30
2012R	30
2016R	30
2018R	30
2112R	30
2212R	30
2216R	30
2218R	30
2236R	30
2412R	30
2416R	30
2418R	30
2436R	30

Part No.	Page
2612R	30
2618R	30
2620R	30
CPF9612	32
CPF9616	32
CPF9618	32
CPF9624	32
9612R	32
9615R	32
BS01	33
BS01F	33
BS02	33
BS02F	33
BS-HANGER-ST	33
BS-HANGER-585	33
BS-BRUSH-100	33
BS-01FIX	33
BS-02FIX	33
BS-ECOCLIP	33
IT35	36
IT42	36
IT48	36
IT50	36
IT35ADJ	36
IT42ADJ	36
IT48ADJ	36
IT50ADJ	36
IT42-HD	37
IT48-HD	37
IT50-HD	37
F42-ADJ	37
TU35A640	38
TU35A700	38
TU35A780	38
TU42A640	38
TU42A700	38
TU42A780	38
TU48A700	38
TU48A780	38
CR35A700	38
CR35A780	38
CR42A700	38
CR42A780	38
CR48A700	38
CR48A780	38
TU35A590-SB	39
TU35A640-SB	39
TU35A700-SB	39
TU42A590-SB	39
TU42A640-SB	39
TU42A700-SB	39
TU42A780-SB	39

Part No.	Page
CR35A480-SB	39
CR35A540-SB	39
CR35A590-SB	39
CR35A635-SB	39
CR35A700-SB	39
CR35A780-SB	39
CR42A590-SB	39
CR42A700-SB	39
CR42A780-SB	39
CR35A540-6-SB	40
CR35A590-6-SB	40
CR35A700-6-SB	40
CR35A780-6-SB	40
CR42A590-6-SB	40
CR42A700-6-SB	40
CR42A780-6-SB	40
FR-SGBK	40
TU35A590-SB-SS	41
TU35A640-SB-SS	41
TU35A700-SB-SS	41
TU42A590-SB-SS	41
TU42A640-SB-SS	41
TU42A700-SB-SS	41
TU42A780-SB-SS	41
CR35A480-SB-SS	41
CR35A540-SB-SS	41
CR35A590-SB-SS	41
CR35A635-SB-SS	41
CR35A700-SB-SS	41
CR35A780-SB-SS	41
CR42A590-SB-SS	41
CR42A700-SB-SS	41
CR42A780-SB-SS	41
TU35A640-SS	42
TU35A700-SS	42
TU35A780-SS	42
TU42A640-SS	42
TU42A700-SS	42
TU42A780-SS	42
TU48A700-SS	42
TU48A780-SS	42
CR35A700-SS	42
CR35A780-SS	42
CR42A700-SS	42
CR42A780-SS	42
CR48A700-SS	42
CR48A780-SS	42
ALUBLOC	43
TU42A590-ALU	43
TU42A700-ALU	43
TU42A780-ALU	43
ALURING	43

Product Selection

Part No.	Page
EC42	44
UB35NK	44
UB35WK	44
UB42NK	44
UB42WK	44
UB50NK	44
UB50WK	44
UB35	44
UB35	44
UB42	44
UB42	44
UB50	44
UB50	44
UB35BPN	44
UB35BPW	44
UB42BPN	44
UB42BPW	44
UB50BPN	44
UB50BPW	44
CR35COMN	45
CR35COMW	45
CR42COMN	45
CR42COMW	45
CR48COMN	45
CR48COMW	45
35BKPN	45
35BKPW	45
42BKPN	45
42BKPW	45
48BKPN	45
48BKPW	45
35SADN	45
35SADW	45
42SADN	45
42SADW	45
48SADN	45
48SADW	45
TU35COMN	45
TU35COMW	45
TU42COMN	45
TU42COMW	45
TU48COMN	45
TU48COMW	45
35BKPN	45
35BKPW	45
42BKPN	45
42BKPW	45
48BKPN	45
48BKPW	45
35SADN	45
35SADW	45
42SADN	45

Part No.	Page
42SADW	45
48SADN	45
48SADW	45
UNAB	45
BJB231	47
BJB231 FIX	47
BJB19E	47
BJB19EF	47
BJB20E	47
BJB20EF	47
BJB19FIX	47
BJB18EF	48
BJB18E	48
BJB18FIX	48
BJB22ES	48
BJB24E	49
BJB25S	49
BJB25ES	49
BJB-RB155	50
BJB-RB155-B	50
BJB-RB145	50
FE-PD1G	51
FE-PD2G	51
FE-PD3G	51
FE-PD4G	51
FE-PD6G	51
FE-PD9G	51
FE-PD12G	51
BJB18S	53
BJB18SF	53
BJB18FIX	53
BJB22ES	53
BJB25S	53
BJB25ES	53
BJB-RB155-B	53
BJB450SF	53
BJB18FSPK-OIL	54
BJB18FSPK-OIL-D	54
BJB18SF	54
SPK18-OIL	54
SPK18-OIL-D	54
BJB450FSPK-OIL	54
BJB450FSPK-OIL-D	54
BJB450SF	54
SPK450-OIL	54
SPK450-OIL-D	54
BJB18FSPK-HC	54
BJB18FSPK-HC-D	54
SPK18-HC	54
SPK18-HC-D	54
BJB450FSPK-HC	54
BJB450FSPK-HC-D	54

Part No.	Page
SPK450-HC	54
SPK450-HC-D	54
WCH01	55
WCH01-H	55
NPH 01	55
NPH 02	55
NPH 04	55
SPK-BUCKET	56
SPK-DRAIN-COVER	56
SPK-FIRST-AID-KIT	56
SPK-SHOVEL-2PCE	56
SPK-BRUSH	56
SPK-SHOVEL-CLIP-R	56
SPK-BRUSH-CLIP-R	56
SPK-25-OIL	56
SPK-25-ES-OIL	56
BJB-450F	58
BJB-600F	58
BJB-800F	58
BJB-1000	58
BJB-1000FIX	58
BJB450-ACH	59
BJB600-ACH	59
BJB800-ACH	59
BJB1000-ACH	59
BJB1200-ACH	59
DOC103	60
MP01-S	60
MP01-L	60
AST-25	62
AST-50	62
AST-100	62
AST-150	62
AST-200	62
AST-250	62
AST-25BY	62
AST-50BY	62
AST-100BY	62
AST-150BY	62
AST-200BY	62
AST-250BY	62
AST-SEAL	62



Featherwing

Manufactured by Boydell & Jacks

Est. 1967



Boydell and Jacks Ltd Wingard House, Lincoln Street,
Healey Wood Industrial Estate, Burnley, BB11 2HW, UK

t +44 (0)1282 456411 f +44 (0)1282 437496

e sales@featherwing.com www.featherwing.com



Certificate No. Q05804
Boydell & Jacks Ltd Quality Control
Procedures conform to
BS EN ISO 9001:2008